

# Index

# VOLUME 4

Included in this issue is the index for Volume 4 of *Reactor Fuel Processing*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. Here the bold numbers denote issues, and the other numbers denote pages.

## A

- A-nickel alloy, corrosion by fluoride-volatility process fluids, **4**: 31
- corrosion by hydrogen chloride-hydrogen fluoride systems, **3**: 28
- Abbott Laboratories, sale of  $^{131}\text{I}$ , **1**: 3
- Access permits, gas centrifugation program, **2**: 3
- Accident reports, criticality at Idaho Chemical Processing Plant, Jan. 25, 1961, **3**: 5-6
- Actinides
  - See also specific actinide element
  - separation by ion exchange, **2**: 34
  - separation from lanthanides, **1**: 23-4; **3**: 19
- Agitators, **2**: 30
  - decontamination of, **2**: 30-2
- Air, corrosive effects, **3**: 44
- Air Reduction Company, fuel-processing plant proposal, **1**: 3
- Alamine 336, solvent properties, **2**: 24; **3**: 18
- Alnico-2 alloy, corrosion by potassium chloride-sodium chloride systems (fused), **2**: 54
- Alnico-3 alloy, corrosion by potassium chloride-sodium chloride systems (fused), **2**: 54
- Alnico-3B alloy, corrosion by potassium chloride-sodium chloride systems (fused), **2**: 54; **3**: 42
- Aluminum, adsorption on Dowex 1 resin, **4**: 17
  - adsorption on Dowex 21K, **4**: 17
  - ion-exchange efficiency of chips, **2**: 64
  - solubility in cadmium (liquid), **2**: 44-5
- Aluminum (liquid), extraction of uranium, **2**: 46
  - solvent properties, **2**: 47
- Aluminum alloys, corrosion by potassium chloride-sodium chloride systems (fused), **2**: 54
- Aluminum chloride-alkali chloride systems (fused), uranium distribution coefficients, **4**: 40-1
- Aluminum-iron alloys, corrosion by bismuth-lead alloys (liquid), **3**: 39
- Aluminum-nickel alloys, corrosion by potassium chloride-sodium chloride systems (fused), **3**: 42
- Aluminum-nickel-plutonium alloys
  - See Plutonium-aluminum-nickel alloys
- Aluminum-nickel-plutonium-silicon systems
  - See Plutonium-aluminum-nickel-silicon systems
- Aluminum nitrate-nitric acid-sodium fluoride systems, solvent properties, **2**: 19
- Aluminum nitrate-nitric acid-sodium nitrate systems, solvent properties, **2**: 17
- Aluminum oxide, decontamination of ICPP wastes, **1**: 47
  - reactions with fluorine, **3**: 27
- Aluminum oxide-uranium dioxide systems
  - See Uranium dioxide-aluminum oxide systems
- Aluminum-plutonium-silicon systems
  - See Plutonium-aluminum-silicon systems
- Aluminum-samarium alloys, solubility in sodium hydroxide-sodium nitrate systems (fused), **3**: 14
- Aluminum-samarium-uranium-zirconium hydride systems
  - See Uranium-zirconium hydride-aluminum-samarium systems
- Aluminum-thorium alloys
  - See Thorium-aluminum alloys
- Aluminum-thorium-uranium alloys
  - See Uranium-thorium-aluminum alloys
- American Mail Line, Ltd., waste-disposal license, **1**: 4
- Americium, separation by ion exchange, **2**: 34
  - separation with M2EHPA, **2**: 25-6
  - separation by Purex process, **2**: 23; **3**: 18
- Amine, dodecyl-, solvent-extraction properties, **1**: 20-1
- Amine, triauryl-, solvent-extraction properties, **1**: 20-1
- Amines, solvent properties, **2**: 23

Ammonium carbonate, fission-product scavenging, 4: 18

Ammonium compounds, quaternary, solvent properties, 2: 23

Ammonium fluoride, corrosive effects, 3: 40-1; 4: 22-3

Ammonium fluoride-ammonium nitrate systems, corrosive effects, 3: 40-1; 4: 22-5

solvent properties, 3: 9

Zircaloy alloy dissolution, 2: 10-11

Zircaloy-2 alloy dissolution, 1: 9-10

zirconium dissolution, 1: 9-10; 2: 10-11

Ammonium fluoride-hydrogen peroxide systems, solvent properties, 3: 14

uranium-zirconium alloy dissolution, 1: 12-13

Ammonium ion, adsorption on Dowex 1 resin, 4: 17

adsorption on Dowex 21K, 4: 17

Ammonium nitrate-ammonium fluoride systems

See Ammonium fluoride-ammonium nitrate systems

Ammonium phosphomolybdate, cesium adsorption, 4: 59

Amsco solvent

See Kerosene

Antimony, behavior in melt-refining process, 2: 42

removal by salt-cycle process, 3: 32

Antimony-cadmium alloys (liquid), thermodynamic properties, 4: 39

Aqua regia

See Hydrochloric acid-nitric acid systems

ARCO process, 1: 13-14; 2: 13-14, 15; 3: 10; 4: 11

corrosion problems, 2: 53-4

flow sheets, 2: 14, 15

Argon, solubility in sodium fluoride-zirconium fluoride systems (fused), 1: 29

Atomic Energy of Canada, Ltd., waste-disposal methods at Chalk River, 3: 48-9, 53

## B

Barium, coprecipitation with cadmium-cerium alloys, 3: 36

removal by liquid-metal extraction, 3: 39

removal by melt-refining process, 1: 31; 2: 42; 3: 32; 4: 38

separation from wastes, 3: 54

solubility in magnesium-silver alloys (liquid), 1: 37

Barium compounds (alkaline), scavenging applications, 2: 20

Barium fluoride-barium nitrate systems, scavenging applications, 2: 20

Barium fluozirconate, corrosive effects, 2: 20

scavenging applications, 2: 19-20; 4: 9-10

Barium nitrate, scavenging applications, 2: 20

Belgium, melt-refining studies, 3: 31-2

Bentonite clay, solidification of liquid wastes with, 1: 46

Benzene, solvent properties, 2: 25

Benzene, 1,2-dimethyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Benzene, 1,3-dimethyl-5-ethyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Benzene, isobutyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Benzene, 1-methyl-4-tert.-butyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Benzene, *sec*-butyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

solvent properties, 2: 25

Benzene, 1,2,4,5-tetramethyl-, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Beryllium, properties, 4: 49

solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25

Beryllium oxide, solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25

Beryllium oxide-uranium dioxide systems

See Uranium dioxide-beryllium oxide systems

Beta radiation

See Radiation (beta)

Bismuth (liquid), corrosive effects, 4: 47, 48-9

solvent properties, 4: 39

Bismuth-lead alloys (liquid), corrosive effects, 3: 39

Bismuth-magnesium-samarium alloys (liquid), reactions with magnesium chloride-potassium chloride-sodium chloride systems (fused), 3: 39

Bismuth-zinc systems (liquid), uranium distribution coefficients, 4: 40, 41

Bromine trifluoride, solvent properties, 3: 26-7

Brookhaven National Laboratory, waste-disposal methods, 3: 52

waste packaging, 4: 58-9

## C

Cadmium, behavior in melt-refining process, 2: 42

Cadmium (liquid), corrosive effects, 2: 46, 55-6

solvent properties, 2: 45; 3: 34; 4: 39

Cadmium-antimony alloys

See Antimony-cadmium alloys

Cadmium-cerium alloys (liquid), solvent properties, 3: 36

Cadmium chloride-lead chloride systems (fused), solvent properties, 2: 14

Cadmium-magnesium alloys (liquid), corrosive effects, 2: 55-6

Cadmium-magnesium-uranium alloys

See Uranium-cadmium-magnesium alloys

- Cadmium-magnesium-zinc alloys (liquid), corrosive effects, 2: 55-6; 3: 37
- Cadmium-titanium alloys (liquid), solvent properties, 3: 34
- Cadmium-uranium alloys  
See Uranium-cadmium alloys
- Calcination, 1: 46, 47-50; 2: 64-7; 3: 49-52; 4: 60-1  
corrosion problems, 3: 43-4  
flow sheets, 2: 66
- Calcium, adsorption on Dowex 1 resin, 4: 17  
adsorption on Dowex 21K resin, 4: 17
- Calcium (liquid), solvent properties, 2: 47
- Calcium chloride-lithium chloride-potassium chloride systems, properties, 3: 39
- Calcium fluoride, reactions with fluorine, 3: 27
- California Salvage Company, waste-disposal license, 1: 4
- Californium, separation by Purex process, 3: 19
- Carbitol, dibutyl-, solvent properties, 2: 25
- Carbon, coating of uranium carbide particles, 4: 73  
fabrication methods, 4: 49  
properties, 4: 49  
radiation effects, 4: 49
- Carbon (pyrolytic), disintegration by hydrogen fluoride-nitrogen dioxide systems, 3: 25
- Carbon tetrachloride, corrosive effects of vapors, 2: 53, 54
- Carbon tetrachloride-hydrogen chloride systems, corrosive effects, 1: 41
- Carborundum  
See Silicon carbide
- Centrifuges (gas), 1: 2  
U<sup>235</sup> enrichment, 2: 2-3
- Ceramic materials, absorption of wastes, 4: 62-3
- Cerium, adsorption on Duolite C-3 resin, 3: 49  
adsorption on Duolite S-30 resin, 3: 49  
coprecipitation with cadmium, 2: 45  
removal by chloride-volatility processes, 4: 35  
removal with D2EHPA, 2: 25  
removal by liquid-metal extraction, 3: 39  
removal by liquid metal-fused salt extraction, 4: 45  
removal by salt-cycle process, 2: 43; 4: 50  
removal by skull reclamation process, 3: 36  
removal from wastes, 3: 55-6  
separation by ion exchange, 2: 34  
solubility in lead-zinc alloys (liquid), 3: 38  
solubility in magnesium-silver alloys (liquid), 1: 37  
solubility in mercury, 4: 39  
solubility in tributyl phosphate, 2: 23
- Cerium-144, commercial production, 1: 3  
production in Multicurie Fission-Product Pilot Plant, 1: 3
- Cerium-cadmium alloys  
See Cadmium-cerium alloys
- Cerium fluoride, solubility in fluoride-volatility process fluids, 1: 29
- Cerium-magnesium alloys (liquid), uranium carbide precipitation, 3: 37
- Cerium-zinc alloys (liquid), solvent properties, 3: 36
- Cermets, corrosion by zinc (liquid), 2: 56
- Cesium, adsorption on ammonium phosphomolybdate, 4: 59  
adsorption on Duolite C-3 resin, 3: 49  
adsorption on Duolite CS-100 resin, 3: 49  
adsorption on Duolite S-30 resin, 3: 49  
adsorption on silica gel, 3: 51-2  
behavior in melt-refining process, 2: 42  
removal with amines, 2: 24  
removal with clinoptilolite clay, 4: 59  
removal with Conasauga shale, 4: 63  
removal by liquid-metal extraction, 3: 38-9  
removal by melt refining, 3: 32; 4: 38  
solubility in magnesium-silver alloys (liquid), 1: 37
- Cesium-137, commercial production, 1: 3  
effects of recovery on waste-disposal problems, 4: 57  
production in Multicurie Fission-Product Pilot Plant, 1: 3
- CETR  
See Reactor (Indian Point Power)
- Chemical dejacketing  
See Decladding (chemical)
- Chemical plant modification  
See CPM process
- Chloride volatility processes, 4: 32-5  
flow sheets, 4: 32, 34
- Chlorides  
See also specific fluorides  
corrosive effects, 4: 47
- Chlorides (fused), solvent properties, 3: 33
- Chlorimet-2 alloy, corrosion by carbon tetrachloride, 2: 54  
corrosion by Zircex-process fluids, 2: 54
- Chlorine, corrosive effects, 3: 27-8  
reactions with uranium-Zircaloy-2 alloys, 3: 27
- Chlorine-hydrogen fluoride systems, corrosive effects, 3: 43
- Chlorine-lead chloride systems  
See Lead chloride-chlorine systems
- Chlorine trifluoride, fluorination of uranyl fluoride, 4: 72  
properties, 3: 29
- Chromium, activity coefficient in zinc, 4: 42  
coating of uranium dioxide particles, 4: 71  
corrosion by nitric acid (electrolytic), 1: 39  
recovery from fission products, 3: 51  
removal by melt refining, 4: 38  
solubility in cadmium (liquid), 3: 34-5  
solubility in cadmium-titanium alloys (liquid), 3: 34  
solubility in tributyl phosphate, 4: 12-13
- Chromium fluoride, precipitation with hydrofluoric acid-potassium fluoride systems, 4: 19

- Chromium-molybdenum alloys, corrosion by bismuth-chloride systems, **4**: 47
- Chromium-nickel alloys, corrosion by fluoride-volatility process fluids, **1**: 28
- Chromium-uranium systems  
See Uranium-chromium systems
- Citric acid, corrosive effects, **4**: 25
- Clinoptilolite clay, cesium removal, **4**: 59  
decontamination of Purex wastes, **1**: 46-7  
ion-exchange efficiency, **2**: 64, 69  
strontium removal, **4**: 59
- Cobalt, solubility in cadmium (liquid), **3**: 34-5  
solubility in cadmium-titanium alloys (liquid), **3**: 34
- Cobalt-60, AEC sale price, **1**: 3
- Cobalt alloys  
See also specific cobalt alloys and by trade name  
corrosion by magnesium-zinc alloys (liquid), **2**: 55-6  
corrosion by potassium chloride-sodium chloride systems (fused), **1**: 40; **2**: 54
- Cobalt-nickel alloys, corrosion by fluoride-volatility process fluids, **4**: 31
- Colorimeters, **1**: 42
- Columbia University, Lamont Geological Observatory, ocean disposal contract, **3**: 54
- Columbium  
See Niobium
- Columns (extraction), development of laboratory tests, **1**: 22-3
- Columns (ion-exchange), **3**: 23  
development of Jigglers, **1**: 26  
development of MABIE contactor, **1**: 25-6
- Commercial aspects, **1**: 1-5; **2**: 1-4; **3**: 1-4; **4**: 1-5
- Conasauga shale, cesium removal from waste streams, **4**: 63
- Condensers, for liquid metals, **4**: 49
- Conferences, American Nuclear Society, 1960 Winter Meeting, held in San Francisco, Dec. 12-15, 1960, **2**: 72
- Plutonium Metallurgy Conference, held at Grenoble, France, April 1960, **2**: 79; **4**: 77
- Second AEC Meeting on Fixation of Radioactivity in Solid Media, held at National Reactor Testing Station, Idaho Falls, Idaho, Sept. 27-9, 1960, **1**: 46
- 16th Annual Purdue Industrial Waste Conference, Lafayette, Ind., May 2-4, 1961, **4**: 60
- Sixth AEC Air Cleaning Conference, held at Idaho Falls, Idaho, July 1959, **2**: 72
- Waste Disposal Conference, held at Monaco, November 1959, **2**: 72
- Consolidated Edison Thorium Reactor  
See Reactor (Indian Point Power)
- Consumers Public Power District Reactor (CPPD)  
See Reactor (Hallam Power)
- Contracts, for ocean disposal, **3**: 54-5
- Corrosion studies, **1**: 37-41; **2**: 48-58
- CPM process, **3**: 20-2  
flow sheets, **3**: 21
- Criticality, use of poisons to control, in fuel-processing solutions, **1**: 11-12
- Croloy-5 silicon alloy, corrosion by bismuth-lead alloys (liquid), **3**: 39
- Crossroads Marine Disposal Corporation, waste-disposal license, **1**: 4
- Crucibles, design, **4**: 49
- Curium, separation with M2EHPA, **2**: 25-6  
separation by Purex process, **2**: 23
- Cyclohexane, chemical stability, **4**: 13-15  
radiolysis, **4**: 13-15
- Cyclohexane, *n*-butyl-, chemical stability, **4**: 13-15  
radiolysis, **4**: 13-15
- ## D
- D2EHPA  
See Phosphoric acid, di-2-ethylhexyl-
- D-s-BPP  
See Phosphonate, di-*sec*-butylphenyl-
- DAAP  
See Phosphonate, diamylamyl
- DABP  
See Phosphopate, di-2-amyl-2-butyl
- Dapex process, mixer-settler design, **1**: 23
- Darex process, **1**: 10-12, 13; **2**: 11-12  
calcination of wastes, **2**: 66  
corrosion problems, **4**: 22-4  
equipment design, **2**: 27-30  
explosion hazards, **3**: 6-7  
flow sheets, **1**: 14; **2**: 28  
silica removal, **3**: 14
- Darex-Thorex process, **2**: 15-17  
corrosion problems, **1**: 37-8; **3**: 41  
flow sheets, **2**: 16
- Davison Chemical Division, W. R. Grace and Company, commercial plant proposal, **2**: 1; **3**: 1  
fuel-element fabrication facilities, **2**: 2
- Decalso YG, strontium adsorption, **2**: 72
- Decanol, primary, solvent-extraction properties, **1**: 20-1
- Decladding (chemical), **1**: 9-12; **2**: 10-13; **3**: 9-10, 33; **4**: 7-8
- Decladding (mechanical), **1**: 8-9; **2**: 9-10; **3**: 8-9; **4**: 6-7
- Decladding machines, **1**: 42
- Decontamination, of equipment, corrosion problems in ICPP process, **4**: 25-6  
from ORNL explosion of Nov. 20, 1959, **1**: 6  
Purex-process equipment, **2**: 30-2  
Redox-process equipment, **2**: 30-2
- Dejacketing  
See Decladding
- Demonstrational High-Temperature Solids Storage System, corrosion problems, **3**: 43

## Diisobutyl

See Hexane, 2,5-dimethyl-

Dissolution, 2: 13-20; 3: 10-14, 20-2; 4: 8-11

cladding materials, 1: 9-12

fluoride-volatility processes, 1: 27-9

fuel materials, 1: 12-17

in fused-salt extraction processes, 1: 34

Dissolution (electrolytic), 4: 10-11

Dissolvers, Darex process, 2: 27-30

Dissolvers (electrolytic), design at Savannah River Plant, 4: 20-1

*n*-Dodecane, chemical stability, 4: 13-15

radiolysis, 3: 19; 4: 13-15

1-Dodecene, chemical stability, 4: 13-15

radiolysis, 4: 13-15

Dowex 1 resin, aluminum adsorption, 4: 17

ammonium-ion adsorption, 4: 17

calcium adsorption, 4: 17

iron adsorption, 4: 17

$\text{Li}^6$  adsorption, 2: 35

radiation effects, 4: 18

thorium adsorption, 4: 17

uranium adsorption, 4: 16-17

zirconium adsorption, 4: 17

Dowex 1-10X resin, rare-earth adsorption, 1: 23-4

Dowex 1 X-4 resin, technetium adsorption, 2: 72

Dowex 21K resin, aluminum adsorption, 4: 17

ammonium-ion adsorption, 4: 17

calcium adsorption, 4: 17

iron adsorption, 4: 17

thorium adsorption, 4: 17

uranium adsorption, 4: 16-17

uranyl sulfate adsorption, 1: 25; 3: 23

zirconium adsorption, 4: 17

Dowex 50 resin, plutonium adsorption, 2: 34

strontium adsorption, 3: 55

Dowex 50 X-2 resin,  $\text{Li}^6$  adsorption, 2: 35

Dowex 50 X-12 resin, strontium adsorption, 2: 72

Dowex 50W resin, radiation effects, 4: 17-18

thorium adsorption, 4: 17

$\text{U}^{233}$  adsorption, 4: 17

## Dresden Power Reactor

See Reactor (Dresden Power)

## DTDA

See Amine, ditridecyl-

Duolite C-3 resin, cerium adsorption, 3: 49

cesium adsorption, 3: 49

strontium adsorption, 3: 49

Duolite C-10 resin, radiation effects, 4: 18

Duolite C-65 resin, ion-exchange efficiency, 2: 64

Duolite CS-100 resin, cesium adsorption, 3: 49

strontium adsorption, 3: 49

Duolite S-30 resin, cerium adsorption, 3: 49

cesium adsorption, 3: 49

strontium adsorption, 3: 49

Durco D-51 alloy, corrosion by potassium chloride-sodium chloride systems (fused), 3: 43

Durichlor alloy, corrosion by potassium chloride-sodium chloride systems (fused), 3: 43

electrolytic dissolution, 4: 10

Duriron alloy, corrosion by potassium chloride-

sodium chloride systems (fused), 3: 43

electrolytic dissolution, 4: 10

Dynamotors, radiation effects, 1: 42

Dysprosium, solubility in cadmium (liquid),

2: 44-5

## E

## EBR

See Reactors (Experimental Breeder)(EBR)

Economics, commercial fuel-processing plants,

1: 1

fuel-element use and consumption charges,

4: 2-3

fuel-processing costs, 4: 1-2

irradiated-fuel-element transportation costs,

4: 1

Electrical components, radiation effects, 1: 41-2

Electrolytic dissolvers

See Dissolvers (electrolytic)

Electrorefining processes, 3: 37-8; 4: 46

Enrico Fermi Fast-Breeder Reactor

See Reactor (Enrico Fermi Fast-Breeder)

Equipment, agitators, 2: 30-2

cadmium distillation apparatus, 4: 48, 49

crucible design, 4: 49

decontamination, 2: 30-2; 4: 25-6

liquid-metal condensers, 4: 49

liquid-metal-driven pumps, 4: 49

mixer-settler design, 1: 23

Purex process, 2: 30-3

Redox process, 2: 30-3

Erbium, solubility in cadmium (liquid), 2: 44-5

Ether, *n*-butyl-, solvent properties, 2: 25

Eurochemic, 4: 3-4

fuel-processing plant at Mol, 1: 1-2; 2: 2

Europium, coprecipitation with cadmium, 2: 45

coprecipitation with cadmium-cerium alloys,

3: 36

removal by fluoride-volatility processes, 1: 29

solubility in cadmium (liquid), 2: 44-5

solubility in tributyl phosphate, 2: 23

Experimental Breeder Reactors

See Reactors (Experimental Breeder)(EBR)

Extraction columns

See Columns (extraction)

## F

Ferric dibutyl phosphate, solubility, 4: 13-15

Ferric monobutyl phosphate, solubility, 4: 13-15

Ferric nitrate-nitric acid systems, corrosive

effects, 2: 18, 49; 4: 22-4

solvent properties, 2: 18

uranium-molybdenum alloy dissolution, 1: 15-16



- Fiberfrax, collection of condensibles in melt-refining process, 2: 39
- Filtration, Homogeneous Reactor Experiment-II fuel processing, 4: 26
- waste-disposal applications, 4: 66
- Fission products
- See also specific fission products
- behavior in calcium (liquid), 2: 47
- distribution in stored wastes, 3: 51
- incorporation into glass, 3: 52-3
- precipitation with ammonium carbonate, 4: 18
- precipitation with barium fluozirconate, 4: 9-10
- removal from chromium, 3: 51
- removal by fused-salt extraction processes, 1: 34
- removal from iron, 3: 51
- removal from nickel, 3: 51
- separation from waste streams, 1: 50; 2: 71-2; 3: 54-6; 4: 4
- Flow sheets, ARCO process, 2: 14, 15
- calcination, 2: 66
- chloride-volatility processes, 4: 32, 34
- CPM process, 3: 21
- Darex process, 1: 14; 2: 28
- Darex-Thorex process, 2: 16
- fluoride-volatility processes, 2: 37
- liquid-metal extraction processes, 2: 45
- liquid metal-fused salt extraction processes, 4: 44
- Nitrofluor process, 3: 26
- Power-Reactor Fuel-Processing Pilot Plant, 2: 32
- Purex process, 3: 12
- Redox process, 1: 16
- salt-cycle process, 4: 49-50
- Sulfex process, 2: 12
- Sulfex-Thorex process, 2: 16
- uranium hexafluoride distillation, 3: 59
- Zirflex process, 1: 13; 2: 11; 4: 32
- Fluoride, precipitation with barium fluozirconate, 2: 19-20
- Fluoride-volatility processes, 1: 27-30; 2: 35-8, 53-4; 3: 24-30; 4: 29-32
- corrosion problems, 3: 42-3
- flow sheets, 2: 37
- Fluorides, corrosive effects, 4: 31
- reduction with magnesium-zinc alloys (liquid), 3: 37
- Fluorine, reactions with calcium fluoride, 2: 27; 3: 27
- reactions with nickel alloys, 3: 27
- reactions with uranium dioxide, 3: 28
- Fluorox process, 2: 77
- corrosion problems, 2: 53
- Formic acid, scavenging applications, 2: 20
- France, fuel-processing plants, 2: 2
- ocean waste disposal, 2: 4
- plutonium separation plant at Jobourg, 1: 2
- waste disposal, 1: 51
- Fuel cycles, economic factors, 3: 2
- Fuel-element decladding
- See Decladding
- Fuel elements (aluminum-clad), dissolution, 4: 8-9
- Fuel elements (ceramic), properties, 4: 49
- recovery by melt-refining process, 1: 33-5
- Fuel elements (clad), cladding removal, 4: 6-8
- Fuel elements (Hastelloy-X-clad), cladding dissolution, 2: 12-13
- Fuel elements (impregnated), dissolution, 1: 17
- Fuel elements (irradiated), effects of burnup upon dissolution, 2: 19
- storage, 3: 8
- transportation, 4: 1
- transportation, ICC regulations, 1: 2
- Fuel elements (plates), mechanical decladding, 2: 9
- Fuel elements (stainless-steel-clad), cladding dissolution, 1: 10-12; 2: 11-12; 4: 7-8
- cladding removal, 3: 9-10
- dissolution, 2: 15-17; 3: 11
- uranium leaching with nitric acid, 1: 17
- Fuel elements (uranium-aluminum alloys), dissolution, 4: 8-9
- Fuel elements (uranium carbide), processing methods, 4: 52-3
- Fuel elements (uranium dioxide), dissolution, 2: 14
- processing at Atomics International, 4: 51
- Fuel elements (uranium dioxide-beryllium oxide systems) (Hastelloy-X-clad), dissolution, 2: 19
- Fuel elements (uranium dioxide-thorium oxide), oxidation, 4: 52
- Fuel elements (uranium-graphite systems), dissolution, 2: 18-19
- Fuel elements (uranium-molybdenum alloy), dissolution, 2: 18
- Fuel elements (uranium-molybdenum alloy)(Zircaloy-clad), dissolution, 2: 15
- Fuel elements (uranium-zirconium alloy), dissolution, 2: 13-15
- Fuel elements (Zircaloy-clad), cladding dissolution, 1: 9-10; 2: 10-11
- cladding removal, 3: 9, 33
- uranium leaching with nitric acid, 1: 17
- Fuel elements (Zircaloy-2 alloy clad), solubility in fluoride-volatility processes, 1: 27-8
- Fuel elements (Zircaloy-2-clad), cladding dissolution, 2: 36-7
- dissolution, 3: 10
- Fuel elements (zirconium-clad), cladding dissolution, 1: 9; 2: 10-11; 4: 10
- cladding removal, 3: 9
- Fuel-processing plants, economic feasibility of commercial, 1: 1
- Martin Company-Air Reduction Company proposal, 1: 3
- Fused-salt extraction processes, 1: 34-5; 2: 48; 4: 40-1
- See also ARCO process
- Fused salts, solvent properties, 2: 13-14

## G

- Gadolinium, coprecipitation with cadmium-cerium alloys, 3: 36  
 removal by fluoride-volatility processes, 1: 29  
 solubility in cadmium (liquid), 2: 44-5  
 solubility in zinc (liquid), 1: 35
- Gas centrifuges  
*See* Centrifuges (gas)
- Gas-Cooled Reactor Experiment  
*See* Reactor (Gas-Cooled, Experiment)(GCRE)
- Genetron plastic VK-240, corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54
- Glass, incorporation of fission products in, 3: 52-3; 4: 62
- Gold, corrosion by bismuth-chloride systems (liquid), 4: 47  
 corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54
- Graphite, containment of fluoride-volatility process liquids, 1: 27  
 corrosion by magnesium-zinc alloys (liquid), 4: 48  
 corrosion by plutonium-zinc alloys (liquid), 2: 46  
 disintegration in hydrogen fluoride-nitrogen dioxide systems, 3: 25  
 disintegration in nitric acid-sulfuric acid systems, 3: 14  
 fabrication methods, 4: 49  
 properties, 4: 49  
 radiation effects, 4: 49  
 reactions with uranium dioxide, 4: 52-3
- Graphite (tantalum-clad), corrosion by magnesium-zinc alloys (liquid), 4: 48
- Graphite (tungsten-clad), corrosion by magnesium-zinc alloys (liquid), 4: 48
- Graphite (uranium carbide impregnated), solubility in hydrogen fluoride-nitrogen dioxide systems, 4: 30
- Graphite-uranium systems  
*See* Uranium-graphite systems
- Ground disposal, 1: 50-1; 2: 62-3, 69-70; 3: 48-9, 53; 4: 63  
 commercial sites, 4: 4  
 U. S. sites, 2: 4

## H

- Hanford Atomic Products Operation, fire in Redox plant, Apr. 17-18, 1960, 2: 5-8  
 head-end processes, 1: 8  
*See also* specific processes  
 waste-disposal methods, 3: 53; 4: 4, 59, 64-5
- HAPO-20 alloy, corrosion by Sulfex-process solutions, 3: 41  
 corrosion by Zirflex-process solutions, 3: 41

- Hastelloy B alloy, corrosion by potassium chloride-sodium chloride systems (fused), 2: 54; 3: 42  
 corrosion by Zircex-process fluids, 2: 54
- Hastelloy C alloy, corrosion by chlorine-hydrogen fluoride systems, 3: 43  
 corrosion by Darex-process solutions, 4: 24  
 corrosion by hydrogen chloride-hydrogen fluoride systems, 3: 43  
 corrosion by lead-lead chloride systems, 1: 40  
 corrosion by potassium chloride-sodium chloride systems (fused), 3: 42  
 corrosion by Sulfex-process solutions, 4: 24  
 corrosion by Thorex-process solutions, 4: 24  
 corrosion by uranium dioxide core dissolvents, 4: 24  
 corrosion by Zirflex-process solutions, 4: 24  
 electrolytic dissolution, 4: 10
- Hastelloy D alloy, corrosion by potassium chloride-sodium chloride systems (fused), 2: 54
- Hastelloy F alloy, corrosion by ARCO-process fluids, 2: 54  
 corrosion by Darex-process solutions, 4: 24  
 corrosion by ferric nitrate-nitric acid systems, 2: 49  
 corrosion by hydrofluoric acid-nitric acid systems, 2: 52  
 corrosion by lead-lead chloride systems (fused), 1: 40  
 corrosion from Niflex-process solutions, 2: 49, 51  
 corrosion by Sulfex-process solutions, 2: 49, 50-1; 4: 21-2, 4  
 corrosion by Thorex-process solutions, 4: 24  
 corrosion by uranium dioxide core dissolvents, 4: 24  
 corrosion by Zirflex-process solutions, 2: 49; 4: 24  
 electrolytic dissolution, 4: 10
- Hastelloy N alloy  
*See* INOR-8 alloy
- Hastelloy W alloy, composition, 4: 32  
 corrosion by fluoride-volatility process fluids, 4: 31  
 corrosion by potassium chloride-sodium chloride systems (fused), 2: 54
- Hastelloy X alloy, composition, 4: 32  
 corrosion by fluoride-volatility process fluids, 4: 31  
 dissolution, 4: 8  
 solubility in hydrochloric acid-nitric acid systems, 2: 12-13  
 solubility in hydrochloric acid-nitric acid-sulfuric acid systems, 2: 12-13  
 solubility in nitric acid, 2: 12-13
- Head-end processes, 1: 8-18; 2: 9-21; 3: 8-15, 20-2; 4: 8-11
- Helium, solubility in sodium fluoride-zirconium fluoride systems (fused), 1: 29

- Heptane, 2,2,4,6,6-pentamethyl-, chemical stability, 4: 13-15  
radiolysis, 4: 13-15
- 1-Hexadecene, chemical stability, 4: 13-15  
radiolysis, 4: 13-15
- Hexane, 2,3,5-trimethyl-, chemical stability, 4: 13-15  
radiolysis, 4: 13-15
- Hexene, 2,5-dimethyl-3-, chemical stability, 4: 13-15  
radiolysis, 4: 13-15
- Holmium, solubility in cadmium (liquid), 3: 34-5
- Homogeneous Reactor Experiment-II  
*See* Reactor (Homogeneous, Experiment-II) (HRE-II)
- Homogeneous Reactor Experiment-II fuel-processing plant, 2: 56-8
- Homogeneous Reactor Test (HRT)  
*See* Reactor (Homogeneous, Experiment-II) (HRE-II)
- Hydraulic fracturing of shale, waste-disposal applications, 2: 70
- Hydrochloric acid, solvent properties, 4: 11
- Hydrochloric acid-nitric acid-sulfuric acid systems, solvent properties, 2: 12-13
- Hydrochloric acid-nitric acid systems, corrosive effects, 1: 37-8; 4: 22-4  
solvent properties, 1: 10-12; 2: 12-13, 15-17; 3: 13; 4: 8
- Hydrofluoric acid-hydrogen peroxide systems, solvent properties, 3: 14
- Hydrofluoric acid-nitric acid systems, corrosive effects, 1: 39; 2: 50, 51, 52; 3: 40; 4: 22-4  
solvent properties, 1: 12-13; 2: 14-15; 3: 9; 4: 11
- Hydrofluoric acid-nitrogen dioxide systems, corrosive effects, 1: 40
- Hydrofluoric acid-potassium fluoride systems, chromium fluoride scavenging, 4: 19  
plutonium tetrafluoride scavenging, 4: 19  
thorium fluoride scavenging, 4: 19
- Hydrogen chloride, reaction with uranium-zirconium alloys, 3: 27-8  
zirconium hydrochlorination, 4: 33
- Hydrogen chloride-carbon tetrachloride systems  
*See* Carbon tetrachloride-hydrogen chloride systems
- Hydrogen chloride-chlorine systems  
*See* Chlorine-hydrogen chloride systems
- Hydrogen chloride-hydrogen fluoride systems, corrosive effects, 3: 28, 43  
solvent properties, 2: 36-7
- Hydrogen fluoride, solubility in sodium fluoride-zirconium fluoride systems (fused), 1: 29
- Hydrogen fluoride-chlorine systems  
*See* Chlorine-hydrogen fluoride systems
- Hydrogen fluoride-hydrogen chloride systems  
*See* Hydrogen chloride-hydrogen fluoride systems
- Hydrogen fluoride-nitrogen dioxide systems, corrosive effects, 2: 54; 3: 25-6  
freezing point, 4: 30  
solvent properties, 3: 25-6; 4: 30
- Hydrogen peroxide, uranium peroxide scavenging, 4: 18
- Hydrogen peroxide-ammonium fluoride systems  
*See* Ammonium fluoride-hydrogen peroxide systems
- Hydrogen peroxide-hydrofluoric acid systems  
*See* Hydrofluoric acid-hydrogen peroxide systems
- Hymu 80 alloy, composition, 4: 32  
corrosion by fluoride-volatility fluids, 4: 31
- ICPP process, 1: 12-13; 3: 20-2  
calcination of wastes, 2: 66-7; 3: 50-1  
commercial fuel-processing plans, 4: 3-4  
contactor design, 4: 19  
corrosion problems during equipment decontamination, 4: 25-6  
criticality accident, Jan. 25, 1961, 3: 5-6  
electrolytic dissolution, 4: 10  
gas-recovery system, 4: 9  
waste disposal, 1: 47, 49-50; 3: 50-1; 4: 59, 60, 61
- Idaho Chemical Processing Plant process  
*See* ICPP process
- Illium R alloy, electrolytic dissolution, 4: 10
- Incinerators, 1: 51
- Incoloy alloy, corrosion in Demonstrational High-Temperature Solids Storage System, 3: 43
- Incoloy 804 alloy, corrosion by ARCO-process fluids, 2: 54  
corrosion by hydrofluoric acid-nitric acid systems, 2: 52  
corrosion by lead-lead chloride systems (fused), 1: 40
- Inconel alloy, corrosion by carbon tetrachloride, 2: 54  
corrosion by chlorine-hydrogen fluoride systems, 3: 43  
corrosion in Demonstrational High-Temperature Solids Storage System, 3: 43  
corrosion by fluoride-volatility process fluids, 4: 31  
corrosion by Fluorox-process fluids, 2: 53  
corrosion by hydrogen chloride-hydrogen fluoride systems, 3: 43  
corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54; 3: 25-6  
corrosion by nitric acid (electrolytic), 1: 39  
high-temperature oxidation, 3: 43-4
- Inconel X alloy, corrosion by ARCO-process fluids, 2: 54  
corrosion by lead-lead chloride systems (fused), 1: 40



Inconel X alloy (Continued)  
 electrolytic dissolution, 4: 10  
 high-temperature oxidation, 3: 43-4  
 Indane, chemical stability, 4: 13-15  
 radiolysis, 4: 13-15  
 Indian Point Power Reactor  
   *See* Reactor (Indian Point Power)  
 Industrial Reprocessing Group, proposal for privately owned processing plant, 2: 1  
 Industrial Waste Disposal Corporation, waste-disposal license, 1: 4  
 INOR-2 alloy, composition, 4: 32  
   corrosion by fluoride-volatility process fluids, 4: 31  
 INOR-8 alloy, composition, 4: 32  
   corrosion by fluoride-volatility process liquids, 1: 27-8; 4: 31  
   corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54  
   corrosion by lithium fluoride-sodium fluoride systems (fused), 3: 43  
   corrosion by sodium fluoride-zirconium fluoride systems (fused), 3: 43  
 Instrumentation, 1: 41-2  
   radiation monitors, in-stream, 3: 22  
 Insurance indemnity, fuel-processing plants, 3: 2-3  
 Iodine, removal by fluoride-volatility processes, 4: 35-6  
   removal by melt-refining process, 1: 31, 2: 42; 3: 32; 4: 38  
   removal by salt-cycle process, 2: 43  
   removal by skull reclamation process, 3: 36  
 Iodine-131, removal by Purex process, 3: 11, 12  
   sale by Abbott Laboratories, 1: 3  
 Ion exchange, waste-disposal applications, 2: 63-4; 4: 59  
 Ion-exchange columns  
   *See* Columns (ion-exchange)  
 Ion-exchange processes, 1: 23-7; 2: 33-5; 3: 23-4; 4: 16-19  
   processing of Homogeneous Reactor Experiment-II fuels, 4: 26  
   waste-treatment methods, 3: 49, 51-2, 55-6  
 Ion exchangers, design of Jiggler at Hanford, 4: 19-20  
 Iridium fluoride, physical constants, 3: 29  
 Iron, adsorption on Dowex 1 resin, 4: 17  
   adsorption on Dowex 21K resin, 4: 17  
   recovery from fission products, 3: 51  
   removal by melt refining, 4: 38  
   solubility in cadmium (liquid), 4: 39  
   solubility in mercury, 4: 39  
 Iron alloys  
   *See also* Steel; Stainless steel; specific iron alloys  
   corrosion by potassium chloride-sodium chloride systems (fused), 2: 54; 3: 42  
 Iron-aluminum alloys  
   *See* Aluminum-iron alloys

Iron compounds  
   *See* specific ferric compounds  
 Iron-plutonium alloys  
   *See* Plutonium-iron alloys  
 Isotopes Specialties Division, Nuclear Corporation of America, waste-disposal license, 1: 4  
 Italy, commercial Thorex-process plant, 3: 2

## J

Jigglers, design for ion-exchange applications, 4: 19-20

## K

Kanthal A1 alloy, electrolytic dissolution, 4: 10  
 Kanthal D alloy, electrolytic dissolution, 4: 10  
 Kerosene, radiolysis, 1: 21; 2: 26-7; 3: 19  
 Krypton, recovery from wastes, 4: 63-4  
   removal by melt-refining process, 1: 31-2; 2: 42; 4: 38  
   removal by salt-cycle process, 2: 43

## L

L-nickel alloy, composition, 4: 32  
   corrosion by fluoride-volatility process fluids, 4: 31  
 Lamont Geological Observatory  
   *See* Columbia University, Lamont Geological Observatory  
 Land disposal  
   *See* Ground disposal  
 Lanthanides  
   *See also* specific lanthanide element  
   removal by ion exchange, 2: 34  
   separation from actinides, 1: 23-4; 3: 19  
 Lanthanum, coprecipitation with cadmium, 2: 45  
   coprecipitation with cadmium-cerium alloys, 3: 36  
   removal by chloride-volatility processes, 4: 35  
   removal by liquid-metal extraction, 3: 39  
   removal with M2EHFA, 2: 25-6  
   removal by melt refining, 3: 32; 4: 38  
   solubility in magnesium-silver alloys (liquid), 1: 37  
   solubility in mercury, 4: 39  
 Lanthanum fluoride, solubility in fluoride-volatility process fluids, 1: 29  
   solvent properties, 2: 47  
 Lead-bismuth alloys  
   *See* Bismuth-lead alloys  
 Lead chloride (fused), solvent properties, 2: 13-14; 3: 10, 33; 4: 11  
   uranium-zirconium alloy dissolution, 1: 13

- Lead chloride-cadmium chloride systems
  - See Cadmium chloride-lead chloride systems
- Lead chloride (fused)-chlorine systems, solvent properties, 2: 14
- Lead chloride-lead systems
  - See Lead-lead chloride systems
- Lead-lead chloride systems (fused), corrosive effects, 1: 40
- Lead-zinc alloys (liquid), solvent properties, 3: 38
- uranium distribution coefficients, 4: 40
- Licenses, regulations, 4: 4
  - waste disposal, 2: 4
- Light bulbs, for use in melt-refining process, 2: 39
- Linde 4A Molecular Sieve, strontium adsorption, 2: 72
- Liquid-liquid extraction processes
  - See Solvent-extraction processes
- Liquid-metal extraction processes, 1: 35-7; 2: 44-8; 3: 34-8
  - flow sheets, 2: 45
- Liquid Metal Fuel Reactor
  - See Reactor (Liquid Metal Fuel)(LMFR)
- Liquid metal-fused salt extraction processes, 4: 43-7
  - flow sheets, 4: 44
- Lithium, coprecipitation with cadmium, 2: 45
- coprecipitation with cadmium-cerium alloys, 3: 36
  - isotope separation by ion exchange, 2: 35
- Lithium-6, adsorption on Dowex 1 resin, 2: 35
- adsorption on Dowex 50 X-2 resin, 2: 35
- Lithium chloride-potassium chloride-calcium chloride systems
  - See Calcium chloride-lithium chloride-potassium chloride systems
- Lithium chloride-potassium chloride systems (fused), handling, 3: 24
  - uranium electrochemical behavior in, 1: 37
- Lithium fluoride-potassium fluoride-sodium fluoride systems (fused), corrosive effects, 1: 28-9; 3: 43
- LMFR
  - See Reactor (Liquid Metal Fuel)(LMFR)
- Lutetium, solubility in cadmium (liquid), 3: 34-5

## M

- M2EHPA
  - See Phosphoric acid, mono-2-ethylhexyl-
- MABIE
  - See Columns (ion-exchange)
- Magnesium, properties, 4: 49
  - thorium extraction, 4: 46-7
  - uranium extraction, 4: 46-7
- Magnesium (liquid), solvent properties, 2: 47
- Magnesium-bismuth-samarium alloys
  - See Bismuth-magnesium-samarium alloys

- Magnesium-cadmium alloys
  - See Cadmium-magnesium alloys
- Magnesium-cadmium-uranium alloys
  - See Uranium-cadmium-magnesium alloys
- Magnesium-cadmium-zinc alloys
  - See Cadmium-magnesium-zinc alloys
- Magnesium-cerium alloys
  - See Cerium-magnesium alloys
- Magnesium chloride-potassium chloride-sodium chloride systems (fused), reactions with bismuth-magnesium-samarium alloys, 3: 39
- uranium electrochemical behavior in, 1: 37
- Magnesium fluoride slag, uranium recovery from, 4: 76-7
- Magnesium-silver alloys (liquid), solvent properties, 1: 37; 2: 47; 3: 38-9
- Magnesium-zinc alloys, solvent properties, 3: 36-7
- Magnesium-zinc alloys (liquid), 2: 55
  - corrosive effects, 2: 46, 55-6; 4: 47-8
  - plutonium extraction, 4: 46
  - reduction of fluorides, 3: 37
  - solvent properties, 1: 36; 2: 46; 3: 37
- Manganese dioxide-potassium permanganate systems, precipitation of ruthenium and niobium-zirconium, 1: 17-18
- Manganese-uranium alloys
  - See Uranium-manganese alloys
- Manipulators, for melt-refining process, 2: 41
- Martin Company, fuel-processing-plant proposal, 1: 3
- Martin Radioactive Materials Laboratory, indemnity requirements, 3: 2-3
- Materials Testing Reactor
  - See Reactor (Materials Testing)(MTR)
- Meetings
  - See Conferences
- Melt-refining process, 1: 30-5; 2: 39-44; 3: 31-2; 4: 37-8
- Mepasin solvent, radiolysis, 3: 19
- Mercuric nitrate-nitric acid systems, Plutonium Recycle Test Reactor fuel-element dissolution
  - 1: 14
  - solvent properties, 2: 17-18
- Mercury, solvent properties, 4: 39
- Mercury-mercuric chloride systems, thermodynamic properties, 4: 39
- Mercury-uranium alloys
  - See Uranium-mercury alloys
- Metal-salt systems (liquid), oxidation-reduction reactions, 4: 41-3
  - bibliographies, 4: 40
  - oxide reduction, 4: 42-3
- Micro Pilot Plant, 2: 68-9
  - adsorption of wastes, 4: 61-2
- Mixer-settlers, design for Dapex process, 1: 23
- Molten-Salt Reactor Experiment
  - See Reactor (Molten-Salt, Experiment)(MSRE)
- Molybdenum, coating of uranium dioxide particles, 4: 71

- Molybdenum (Continued)**  
 corrosion by bismuth-chloride systems (liquid),  
     4: 47  
 corrosion by magnesium-zinc alloys (liquid),  
     2: 55-6  
 corrosion by zinc (liquid), 2: 55-6  
 removal by fluoride-volatility processes,  
     4: 35-6  
 removal by liquid metal-fused salt extraction,  
     4: 45  
 removal by melt-refining process, 1: 31; 2: 42  
 removal by skull reclamation process, 3: 36  
 solubility in mercury, 4: 39
- Molybdenum fluorides, nuclear magnetic resonance spectra, 3: 30**  
 physical constants, 3: 29  
 reactions with nitrogen dioxide, 4: 36  
 reactions with nitrogen oxyhalides, 4: 36
- Molybdenum-nickel alloys**  
*See* INOR-8 alloy
- Molybdenum oxyfluoride, physical constants, 3: 29**
- Molybdenum-uranium alloys**  
*See* Uranium-molybdenum alloys
- Monel alloy, corrosion by bismuth-lead alloys (liquid), 3: 39**  
 corrosion by citric acid, 4: 25  
 corrosion by hydrofluoric acid-nitric acid systems, 2: 52  
 corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54; 3: 25-6  
 corrosion by nitric acid, 4: 25  
 corrosion by nitric acid-periodic acid systems, 4: 25  
 corrosion by nitric acid-sodium fluoride systems, 4: 25  
 corrosion by oxalic acid, 4: 25  
 corrosion by phosphoric acid, 4: 25  
 corrosion by sodium hydroxide-tartaric acid systems, 4: 25  
 corrosion by Turco 4501 solvent, 4: 25  
 corrosion by Turco 4502 solvent, 4: 25
- Montmorillonite clay, solidification of liquid wastes with, 1: 46**
- MSRE**  
*See* Reactor (Molten-Salt, Experiment)(MSRE)
- MTR**  
*See* Reactor (Materials Testing)(MTR)
- N**
- Naphthalene, *cis*-decahydro-, chemical stability, 4: 13-15**  
 radiolysis, 4: 13-15
- Naphthalene, tetrahydro-, chemical stability, 4: 13-15**  
 radiolysis, 4: 13-15
- Naphthalene, *trans*-decahydro-, chemical stability, 4: 13-15**  
 radiolysis, 4: 13-15
- National Academy of Sciences, biological effects of radiation, survey, 4: 57**
- Naval Industrial Reserve Shipyard, Kearny, N. J., waste-disposal license, 1: 4**
- Neodymium, solubility in zinc (liquid), 1: 36**
- Neon, solubility in sodium fluoride-zirconium fluoride systems (fused), 1: 29**
- Neptunium, ion exchange, 3: 23**  
 removal by melt refining, 3: 32  
 separation, 4: 18-19  
 separation from wastes, 3: 54
- Neutron multiplication, measurement for safety, 3: 7**
- New England Tank Cleaning Company, waste-disposal license, 1: 4**
- New Production Reactor**  
*See* Reactor (New Production)(NPR)
- New York State, nuclear by-product plant proposals, 3: 1-2**  
 waste-disposal site, 4: 4
- Nichrome alloy, electrolytic dissolution, 4: 10**
- Nichrome-V alloy, corrosion by carbon tetrachloride, 2: 54**  
 corrosion by carbon tetrachloride-hydrogen chloride systems, 1: 41
- Nickel, corrosion by bismuth-lead alloys (liquid), 3: 39**  
 corrosion by chlorine-hydrogen fluoride systems, 3: 43  
 corrosion by fluoride-volatility process fluids, 1: 27-8  
 corrosion by hydrofluoric acid-nitrogen dioxide systems, 1: 40  
 corrosion by hydrogen chloride-hydrogen fluoride systems, 3: 43  
 corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54; 3: 25-6  
 corrosion by potassium chloride-sodium chloride systems (fused), 1: 40  
 recovery from fission products, 3: 51  
 removal by melt refining, 4: 38  
 solubility in cadmium (liquid), 2: 44-5  
 stress corrosion in liquid bismuth, 4: 48-9
- Nickel alloys**  
*See also* specific nickel alloys by trade name  
 corrosion, 4: 21-2  
 corrosion by potassium chloride-sodium chloride systems (fused), 1: 40; 2: 54; 3: 42  
 reactions with fluorine, 3: 27
- Nickel-aluminum alloys**  
*See* Aluminum-nickel alloys
- Nickel-aluminum-plutonium alloys**  
*See* Plutonium-aluminum-nickel alloys
- Nickel-aluminum-plutonium-silicon systems**  
*See* Plutonium-aluminum-nickel-silicon systems
- Nickel-chromium alloys**  
*See* Chromium-nickel alloys
- Nickel-cobalt alloys**  
*See* Cobalt-nickel alloys

- Nickel-molybdenum alloys  
*See* Molybdenum-nickel alloys
- Niflex process, corrosion problems, 2: 49, 50, 51-2; 3: 40; 4: 21, 23
- Niobium, coating of uranium dioxide particles, 4: 71  
 corrosion by ARCO-process fluids, 2: 54; 3: 10  
 corrosion by nitric acid (electrolytic), 1: 39; 2: 49; 3: 41-2  
 corrosion by uranium-chromium alloys (liquid), 4: 48  
 corrosion by uranium-manganese alloys (liquid), 3: 44  
 precipitation with barium fluozirconate, 2: 20  
 removal with amines, 2: 24  
 removal by chloride-volatility processes, 4: 33, 35  
 removal by liquid-metal extraction, 3: 39  
 removal by scavenging, 1: 17-18  
 removal with silica gel, 1: 20  
 solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25  
 solubility in magnesium-silver alloys, 1: 37  
 solubility in mercury, 4: 39
- Niobium alloys, corrosion by potassium chloride-sodium chloride systems (fused), 2: 54
- Niobium-5V alloy, coating of uranium dioxide particles, 4: 71
- Niobium oxide, thermodynamic properties, 4: 53
- Niobium-tungsten alloys, corrosion by nitric acid (electrolytic), 1: 39; 3: 41-2
- Nionel alloy, corrosion by Darex-process solutions, 4: 24  
 corrosion by ferric nitrate-nitric acid systems, 2: 49  
 corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54  
 corrosion by nitric acid (electrolytic), 1: 39  
 corrosion by Sulfex-process solutions, 2: 49; 4: 24  
 corrosion by sulfuric acid, 1: 37-9  
 corrosion by Thorex-process solutions, 4: 24  
 corrosion by uranium dioxide core dissolvents, 4: 24  
 corrosion by Zirflex-process solutions, 4: 24
- Nitric acid, corrosive effects, 1: 38; 2: 50, 52; 3: 41; 4: 22-5  
 solvent properties, 1: 15; 2: 12-13, 18-19; 3: 12-14, 20-2; 4: 11, 18-19  
 uranium-graphite system dissolution, 1: 17  
 uranium leaching from lead chloride, 1: 13  
 uranium leaching from stainless-steel-clad uranium dioxide fuel elements, 1: 17  
 uranium leaching from Zircaloy-clad uranium dioxide fuel elements, 1: 17  
 uranium-molybdenum alloy dissolution, 1: 15
- Nitric acid (electrolytic), corrosive effects, 1: 39-40; 2: 49-50; 3: 41-2; 4: 23-4  
 solvent properties, 1: 10, 13; 2: 15; 3: 10-11; 4: 10-11
- Nitric acid-ferric nitrate systems  
*See* Ferric nitrate-nitric acid systems
- Nitric acid-hydrochloric acid-sulfuric acid systems  
*See* Hydrochloric acid-nitric acid-sulfuric acid systems
- Nitric acid-hydrochloric acid systems  
*See* Hydrochloric acid-nitric acid systems
- Nitric acid-hydrofluoric acid systems  
*See* Hydrofluoric acid-nitric acid systems
- Nitric acid-mercuric nitrate systems  
*See* Mercuric nitrate-nitric acid systems
- Nitric acid-periodic acid systems, corrosive effects, 4: 25  
 solvent properties, 2: 18
- Nitric acid-sodium fluoride-aluminum nitrate systems  
*See* Aluminum nitrate-nitric acid-sodium fluoride systems
- Nitric acid-sodium fluoride systems, corrosive effects, 4: 25  
 solvent properties, 2: 19
- Nitric acid-sulfuric acid systems, graphite dissolution, 3: 14  
 solvent properties, 2: 19
- Nitric acid-uranyl nitrate-tributyl phosphate systems  
*See* Uranyl nitrate-nitric acid-tributyl phosphate systems
- Nitrofluor process, 3: 25-6; 4: 29-30  
 corrosion problems, 3: 25-6  
 flow sheets, 3: 26
- Nitrogen compounds, solvent properties, 2: 23-4
- Nitrogen compounds, organo-, solvent-extraction properties, 1: 20-1  
 solvent properties, 3: 18-19
- Nitrogen dioxide, reactions with molybdenum fluoride, 4: 36  
 reactions with tungsten fluoride, 4: 36  
 reactions with uranium hexafluoride, 4: 36
- Nitrogen dioxide-hydrofluoric acid systems  
*See* Hydrofluoric acid-nitrogen dioxide systems
- Nitrogen dioxide-hydrogen fluoride systems  
*See* Hydrogen fluoride-nitrogen dioxide systems
- Nitrogen oxyhalides, reactions with uranium, molybdenum, and tungsten fluorides, 4: 36
- Norway, Advanced Course on Fuel Elements for Water-Cooled Power Reactors, given at Kjeller, 1960, 3: 30
- NPR  
*See* Reactor (New Production)(NPR)
- N. S. Savannah reactor  
*See* Reactor (N. S. Savannah)
- Nuclear-Chem Disposal Corporation, waste-disposal license, 1: 3
- Nuclear Engineering Company, waste-disposal license, 1: 4; 4: 4

## O

- Oak Ridge National Laboratory, explosion in Hot Pilot Plant, Nov. 20, 1959, 1: 6
- Multicurie Fission-Product Pilot Plant, 1: 3
- Power-Reactor Fuel-Processing Pilot Plant, 1: 32-3
- waste-disposal methods, 2: 62-4; 3: 48, 49-50, 53; 4: 59, 60, 63-4
- Ocean disposal, 1: 51; 2: 70-1; 3: 53-4
- at Brookhaven National Laboratory, 4: 58-9
- in France, 2: 4
- Ocean Transport Company, waste-disposal license, 1: 1
- Octylamine, triiso-, solvent properties, 2: 24
- Odogen, solvent properties, 2: 24
- Off-gases, from mercuric nitrate-nitric acid dis-solutions, 1: 14-15
- Purex process, 3: 11
- Sulfex process, 3: 11
- Organic solvents
- See Solvents (organic)
- Organonitrogen compounds
- See Nitrogen compounds, organo-
- Organophosphorus compounds
- See Phosphorus compounds, organo-
- Osmium fluorides, physical constants, 3: 29
- Oxalic acid, corrosive effects, 4: 25
- Oxides, reduction by liquid metals, 4: 42-3

## P

- Palladium, removal by liquid metal-fused salt ex-traction, 4: 45
- removal by melt refining, 2: 42; 4: 38
- removal by skull reclamation process, 3: 36
- solubility in lead-zinc alloys (liquid), 3: 38
- Paraformaldehyde, scavenging applications, 2: 20
- Pathfinder Power Reactor
- See Reactor (Pathfinder Power)
- PDA
- See Decanol (primary)
- Pentane, 2,2,4-trimethyl-, chemical stability, 4: 13-15
- radiolysis, 4: 13-15
- Periodic acid-nitric acid systems
- See Nitric acid-periodic acid systems
- Permutit SK resin, plutonium adsorption, 2: 33-4
- radiation effects, 4: 18
- thorium sulfate recovery, 1: 26
- uranium adsorption, 2: 33-4
- Phosphate rock, adsorption of wastes, 3: 52; 4: 61-2
- Phosphonate, diamylamyl, solvent properties, 2: 25-6
- Phosphonate, di-2-amyl-2-butyl, evaluation for Purex process, 3: 17
- Phosphonate, di-*sec*-butylphenyl, evaluation for Purex process, 3: 18
- radiolysis, 2: 27
- solvent properties, 1: 20-1; 2: 26
- Phosphoric acid, corrosive effects, 4: 25
- Phosphoric acid, di-2-ethylhexyl-, solvent proper-ties, 1: 20-1; 2: 24-5
- Phosphoric acid, mono-2-ethylhexyl-, solvent properties, 2: 25-6
- Phosphorus compounds, organo-, solvent proper-ties, 1: 20-1; 2: 24-6; 3: 17-18
- Piping, decontamination, 2: 30-2
- Piqua Power Reactor
- See Reactor (Piqua Power)
- Platinum, corrosion by hydrogen fluoride-nitrogen dioxide systems, 2: 54
- corrosion by potassium chloride-sodium chloride systems (fused), 1: 40
- Plutonium, 2: 79
- adsorption on phosphate rock, 4: 61
- commercial use charges, 2: 3-4; 4: 3
- extraction with D2EHPA, 2: 25
- ion-exchange properties, 3: 23; 4: 17
- liquid-metal extraction, 4: 46
- metal production, 2: 78-9
- metallurgy, 2: 79
- production plants, 1: 59-60
- properties, 4: 49
- recovery by liquid metal-fused salt extraction, 4: 43-5, 46
- recovery by melt-refining process, 2: 41-2; 3: 32
- recovery by Nitrofluor process, 4: 29-30
- recovery by salt-cycle process, 3: 32; 4: 50
- reduction from plutonium trichloride, 4: 77
- separation with amines, 2: 24
- separation with D-s-BPP, 2: 26
- separation by fluoride-volatility processes, 1: 29-30
- separation by ion exchange, 2: 33-4
- separation by liquid-metal extraction, 2: 46
- separation with M2EHPA, 2: 25
- separation by Nitrofluor process, 3: 26
- separation in Power-Reactor Fuel-Processing Pilot Plant, 2: 32-3
- separation in Purex process, 1: 19; 2: 23; 4: 12
- solubility in amines, 3: 18
- solubility in calcium (liquid), 2: 47
- solubility in magnesium-silver alloys (liquid), 3: 38-9
- solubility in mercury, 4: 39
- solubility in triaurylamine, 2: 23-4
- Plutonium (liquid), corrosive effects, 1: 40-1; 2: 56
- viscosity, 4: 40
- Plutonium-239, AEC buy-back price, 1: 1
- Plutonium-241, AEC buy-back price, 1: 1
- Plutonium alloys, production methods, 1: 59-60
- Plutonium-aluminum-nickel alloys, solubility in mercuric nitrate-nitric acid systems, 2: 17-18



- Plutonium-aluminum-nickel-silicon systems (aluminum-clad), solubility in mercuric nitrate-nitric acid systems, **1**: 14
- Plutonium-aluminum-silicon systems, solubility in mercuric nitrate-nitric acid systems, **2**: 17-18
- Plutonium carbide-uranium carbide systems  
See Uranium carbide-plutonium carbide systems
- Plutonium chlorides, thermodynamic properties, **4**: 53
- Plutonium dioxide, conversion to plutonium tri-chloride, **2**: 78-9  
recovery by melt-refining process, **1**: 33
- Plutonium dioxide-uranium dioxide systems  
See Uranium dioxide-plutonium dioxide systems
- Plutonium hexafluoride, chemistry, **4**: 37  
reactions with sulfur tetrafluoride, **3**: 28-9
- Plutonium-iron alloys, corrosion by plutonium (liquid), **1**: 41  
processing, **3**: 32
- Plutonium Recycle Test Reactor  
See Reactor (Plutonium Recycle Test)(PRTR)
- Plutonium tetrafluoride, conversion from plutonium hexafluoride, **3**: 28-9  
precipitation with hydrofluoric acid-potassium fluoride systems, **4**: 19
- Plutonium trichloride, conversion from plutonium dioxide, **2**: 78-9  
reduction to plutonium, **2**: 78-9; **4**: 77
- Plutonium-zinc alloys (liquid), corrosive effects, **2**: 46
- Pneumo Dynamics Corporation, Systems Engineering Division, ocean disposal contract, **3**: 54
- Poisons (soluble), applications in fuel-processing solutions, **1**: 11
- Porcelain, incorporation of fission products in, **3**: 52-3
- Portland cement, waste-disposal applications, **2**: 70
- Potassium, coprecipitation with cadmium, **2**: 45  
coprecipitation with cadmium-cerium alloys, **3**: 36
- Potassium chloride-lithium chloride-calcium chloride systems  
See Calcium chloride-lithium chloride-potassium chloride systems
- Potassium chloride-lithium chloride systems  
See Lithium chloride-potassium chloride systems
- Potassium chloride-magnesium chloride-sodium chloride systems  
See Magnesium chloride-potassium chloride-sodium chloride systems
- Potassium chloride-sodium chloride-magnesium chloride systems  
See Magnesium chloride-potassium chloride-sodium chloride systems
- Potassium chloride-sodium chloride systems (fused), corrosive effects, **1**: 40; **2**: 54; **3**: 42-3  
solvent properties, **2**: 42-3; **3**: 32-3
- Potassium fluoride-hydrofluoric acid systems  
See Hydrofluoric acid-potassium fluoride systems
- Potassium fluoride-lithium fluoride-sodium fluoride systems  
See Lithium fluoride-potassium fluoride-sodium fluoride systems
- Potassium permanganate-manganese dioxide systems  
See Manganese dioxide-potassium permanganate systems
- Power-Reactor Fuel-Processing Pilot Plant, **2**: 32-3  
flow sheets, **2**: 32
- Praseodymium, coprecipitation with cadmium-cerium alloys, **3**: 36
- Precipitation processes, **1**: 17-18; **2**: 19-20; **4**: 18-19
- Pressurized-Water Reactor  
See Reactor (Shippingport Pressurized-Water)
- Primene JMT, solvent-extraction properties, **1**: 20-1
- Promethium-147, production in Multicurie Fission-Product Pilot Plant, **1**: 3  
separation by ion exchange, **1**: 24
- Protactinium, liquid-metal extraction, **4**: 40
- PRTR  
See Reactor (Plutonium Recycle Test)(PRTR)
- Pumps, decontamination, **2**: 30-2  
liquid-metal-driven, **4**: 49
- Purex process, **3**: 16-20; **4**: 12  
calcination of wastes, **2**: 64-6, 67-9; **3**: 49-50  
column efficiency, laboratory methods for determining, **1**: 22-3  
corrosive effects of waste solutions, **2**: 52  
corrosive effects of wastes from Darex feeds, **2**: 52-3  
equipment decontamination, **2**: 30-2  
equipment design, **2**: 30-3  
explosion hazards, **3**: 6  
flow sheets, **3**: 12  
head-end treatment, **1**: 17-18  
iodine removal, **3**: 11, 12  
modifications, **1**: 19-20; **2**: 22-3  
solvent degradation, **4**: 13-15  
tail-end treatment, **1**: 20  
waste disposal, **1**: 46-9
- PWR  
See Reactor (Shippingport Pressurized-Water)
- Pyroceram 9608 alloy, corrosion by carbon tetrachloride, **2**: 54
- Pyrochemical processes, **4**: 53
- Pyrolytic carbon  
See Carbon (pyrolytic)
- Pyrometallurgical processes, **1**: 30-7; **2**: 38-48; **3**: 30-9; **4**: 37-49  
corrosion problems, **2**: 54-6; **3**: 44

## R

- Radiation (beta), applications of sources, 4: 64
- Radiation effects, Amsco 125-82 solvent, 2: 26-7
- Amsco solvent, 3: 19
- carbon, 4: 49
- n*-dodecane, 3: 19
- Dowex 1 resin, 4: 18
- Dowex 50W resin, 4: 17-18
- Duolite C-10 resin, 4: 18
- electrical components, 1: 41-2
- kerosene, 1: 21; 2: 26-7; 3: 19
- Mepasin solvent, 3: 19
- organic solvents, 2: 26-7; 4: 13-15
- Permutit SK resin, 4: 18
- phosphonate, di-*sec*-butylphenyl, 2: 27
- Shellsol T solvent, 3: 19
- Solvesso-100, 1: 21
- Solvesso-100 solvent, 2: 26-7
- Tetramer solvent, 3: 19
- tributyl phosphate, 2: 26-7
- Radioisotopes, commercial production, 3: 3
- separation from wastes, 2: 71-2; 3: 54-6; 4: 4, 63-6
- shipping, 4: 4, 65-6
- Radiological Services Company, Inc., waste-disposal license, 1: 4
- Rare earths, removal with amines, 2: 24-6
- removal with D2EHFA, 2: 25
- removal with M2EHFA, 2: 25-6
- removal by melt-refining process, 1: 31-3; 2: 42
- removal by salt-cycle process, 4: 50
- separation from waste streams, 2: 71-2
- Rare gases, removal from aluminum dissolver solutions, 4: 9
- Reactor (CETR)
- See Reactor (Indian Point Power)
- Reactor (Dresden Power), fuel-element decladding, 1: 9; 3: 9
- Reactor (Enrico Fermi Fast-Breeder), fuel-element dissolution, 2: 15
- Reactor (Experimental Breeder)(EBR), EBR-II
- blanket processing, 4: 45, 46
- EBR-II fuel processing, 1: 30-3; 2: 39-44, 45-6; 3: 30-2, 36; 4: 37-8, 45
- Reactor (Gas-Cooled, Experiment)(GCRE), fuel-element cladding dissolution, 2: 12-13; 4: 8
- fuel-element dissolution, 2: 19; 3: 13; 4: 11
- Reactor (Hallam Power), fuel processing by chloride-volatility processes, 4: 34-5
- Reactor (Homogeneous, Experiment-II)(HRE-II), fuel-processing plant, 1: 42-3; 4: 26
- Reactor (Indian Point Power), fuel-element cladding dissolution, 1: 10-12; 2: 12; 4: 8
- fuel-element dissolution, 1: 13; 2: 15-17
- fuel processing, 2: 22-3
- Reactor (Liquid Metal Fuel)(LMFR), fuel processing, 1: 37; 3: 24-5
- Reactor (Maritime Gas-Cooled)(MGCR), fuel-element dissolution, 3: 13-14
- Reactor (Materials Testing)(MTR), fuel-element dissolution, 4: 8-9
- fuel processing, 3: 22
- Reactor (Molten-Salt, Experiment)(MSRE), fuel processing, 2: 36
- Reactor (New Production)(NPR), fuel-element decladding, 3: 9
- Reactor (N.S. Savannah), fuel-element dissolution, 4: 10
- Reactor (Pathfinder Power), waste disposal, 1: 51
- Reactor (Piqua Power), fuel-processing costs, 4: 2
- waste disposal, 1: 51
- Reactor (Plutonium Recycle Test)(PRTR), fuel-element decladding, 1: 9-10; 3: 9
- fuel-element dissolution, 1: 14; 3: 11
- fuel processing, 2: 33-4; 3: 32
- Reactor (Shippingport Pressurized-Water), blanket element cladding dissolution, 1: 9; 2: 10-11
- fuel-element decladding, 3: 8-9
- seed fuel dissolution, 4: 9
- Reactor (SM-1), fuel-element dissolution, 4: 10
- Reactor (Sodium, Experiment)(SRE), fuel-element decladding, 1: 9; 3: 8
- fuel-element decladding, mechanical, 2: 9-10
- Reactor (TRIGA), fuel-element dissolution, 3: 11, 14; 4: 9
- Reactor (TURRET), fuel processing, 4: 18
- Reactor (Vallecitos Boiling-Water), fuel processing, 4: 3
- Reactor (Yankee Power), fuel-element decladding, 1: 9; 2: 12
- fuel-element dissolution, 1: 13; 4: 10
- fuel-processing costs, 4: 2
- Reactor Handbook* (Second Edition), Vol. II: *Fuel Reprocessing*, Table of Contents, 4: 80-2
- Redox process, corrosive effects of waste solutions, 2: 52
- dissolution, 1: 15-17
- equipment decontamination, 2: 30-2
- equipment design, 2: 30-3
- fire at HAP0, Apr. 17-18, 1960, 2: 5-8
- modifications, 2: 22-3
- Reduction to solids, 2: 64-9; 3: 49-53; 4: 59-63
- flow sheets, 1: 16
- Rhenium fluorides, physical constants, 3: 29
- Rhenium oxyfluorides, physical constants, 3: 29
- Rhodium, removal with amines, 2: 24
- removal by liquid metal-fused salt extraction, 4: 45
- removal by melt refining, 2: 42; 4: 38
- Ruthenium, removal with amines, 2: 24
- removal by chloride-volatility processes, 4: 35
- removal by fluoride-volatility processes, 4: 35-6
- removal by liquid-metal extraction, 3: 39
- removal by liquid metal-fused salt extraction, 4: 45
- removal by melt-refining process, 1: 31; 2: 42; 3: 32; 4: 38

## Ruthenium (Continued)

- removal by oxidation, **4**: 51-2
- removal by salt-cycle process, **2**: 43
- removal by scavenging, **1**: 17-18
- removal with silica gel, **1**: 20
- removal by skull reclamation process, **3**: 36
- removal by Thorex process, **4**: 12
- solubility in magnesium-silver alloys (liquid), **1**: 37
- solubility in mercury, **4**: 39
- Ruthenium chlorides, thermodynamic properties, **4**: 53
- Ruthenium tetroxide, thermodynamic properties, **4**: 52, 53

## S

- S-816 alloy, corrosion by Zircex-process fluids, **2**: 54
- Safety, **1**: 6-7; **2**: 5-8; **3**: 5-7
- Salt-cycle process, **2**: 42-4; **3**: 32-4; **4**: 49-52
  - flow sheets, **4**: 49-50
- Salt formations, waste disposal in, **1**: 50-1; **2**: 69-70; **4**: 63
- Salt-metal systems
  - See* Metal-salt systems
- Samarium, coprecipitation with cadmium-cerium alloys, **3**: 36
  - removal by fluoride-volatility processes, **1**: 29
  - solubility in zinc (liquid), **1**: 35, 36
- Samarium-aluminum alloys
  - See* Aluminum-samarium alloys
- Samarium-aluminum-uranium-zirconium hydride systems
  - See* Uranium-zirconium hydride-aluminum-samarium systems
- Samarium-bismuth-magnesium alloys
  - See* Bismuth-magnesium-samarium alloys
- Samarium fluoride, solubility in fluoride-volatility process fluids, **1**: 29
- Savannah River Plant, commercial fuel-processing plans, **4**: 3-4
  - corrosion problems, **3**: 40
  - electrolytic dissolution, **4**: 10
  - radioisotope separation from wastes, **4**: 64
  - waste-disposal methods, **1**: 51-2; **4**: 64, 66
- Saws, mechanical decladding of fuel elements, **1**: 8, 9; **4**: 7
- Scandium, coprecipitation with cadmium-cerium alloys, **3**: 36
- Scavenging, **1**: 17-18, 20; **3**: 36
- Shears, mechanical decladding of fuel elements, **1**: 8, 9; **4**: 6-7
  - Shippingport Pressurized-Water Reactor fuel elements, **3**: 8-9
- Shellsol-T solvent, radiolysis, **3**: 19
- Shipping, ICC regulations for irradiated fuel elements, **1**: 2; **4**: 1
  - radioisotopes, **4**: 4, 65-6
- Shippingport Pressurized-Water Reactor
  - See* Reactor (Shippingport Pressurized-Water)
- Silica
  - See* Silicon dioxide
- Silica gel, cesium adsorption, **3**: 51-2
  - precipitation of ruthenium and niobium-zirconium, **1**: 20
- Silicon, coating of uranium dioxide particles, **4**: 71
  - corrosion by potassium chloride-sodium chloride systems (fused), **2**: 54
  - removal by fluoride-volatility processes, **4**: 35-6
- Silicon-aluminum-nickel-plutonium systems
  - See* Plutonium-aluminum-nickel-silicon systems
- Silicon-aluminum-plutonium systems
  - See* Plutonium-aluminum-silicon systems
- Silicon carbide, corrosion by potassium chloride-sodium chloride systems (fused), **1**: 40
- Silicon carbide (silicon nitride bonded), corrosion by potassium chloride-sodium chloride systems (fused), **1**: 40
- Silicon dioxide, removal, **3**: 14; **4**: 8-9
- Silver-magnesium alloys
  - See* Magnesium-silver alloys
- Skull reclamation process, **3**: 36-7; **4**: 45
  - corrosion problems, **4**: 47-8
- Sodium, coprecipitation with cadmium, **2**: 45
  - coprecipitation with cadmium-cerium alloys, **3**: 36
  - solubility in D2EHPA, **2**: 25
  - thorium fluoride reduction, **4**: 77
- Sodium chloride-magnesium chloride-potassium chloride systems
  - See* Magnesium chloride-potassium chloride-sodium chloride systems
- Sodium chloride-potassium chloride-magnesium chloride systems
  - See* Magnesium chloride-potassium chloride-sodium chloride systems
- Sodium chloride-potassium chloride systems
  - See* Potassium chloride-sodium chloride systems
- Sodium fluoride, uranium hexafluoride purification, **4**: 35
- Sodium fluoride-aluminum nitrate-nitric acid systems
  - See* Aluminum nitrate-nitric acid-sodium fluoride systems
- Sodium fluoride-lithium fluoride-potassium fluoride systems
  - See* Lithium fluoride-potassium fluoride-sodium fluoride systems
- Sodium fluoride-nitric acid systems
  - See* Nitric acid-sodium fluoride systems
- Sodium fluoride-uranium tetrafluoride-zirconium fluoride systems
  - See* Uranium tetrafluoride-sodium fluoride-zirconium fluoride systems
- Sodium fluoride-zirconium fluoride systems (fused), corrosive effects, **1**: 28; **3**: 43
  - solubility of gases in, **1**: 29
- Sodium hydroxide, solvent properties, **2**: 19; **3**: 14

- Sodium hydroxide-tartaric acid systems, corrosive effects, **4**: 25
- Sodium Reactor Experiment  
See Reactor (Sodium, Experiment)(SRE)
- Soluble poisons  
See Poisons (soluble)
- Solvent-extraction processes, **1**: 19-23; **2**: 22-33; **4**: 6-16  
corrosion problems, **2**: 49-53  
fission-product separation from waste streams, **1**: 50
- Solvents  
See also specific solvents  
degradation inhibition, **3**: 19
- Solvents (organic), chemical stability, **4**: 13-15  
radiolysis, **2**: 26-7; **4**: 13-15
- Solvesso-100 solvent, effects on solvent extraction, **3**: 18  
radiolysis, **1**: 21; **2**: 26-7
- South Africa, Republic of, uranium-ore processing plants, **1**: 2
- Stainless steel, chlorination, **4**: 33-4  
corrosion by ammonium fluoride, **3**: 40-1  
corrosion by ammonium fluoride-ammonium nitrate systems, **3**: 40-1  
corrosion by ARCO-process fluids, **2**: 54  
corrosion by barium fluozirconate, **2**: 20  
corrosion by bismuth-chloride systems (fused), **4**: 47  
corrosion by bismuth-lead alloys (liquid), **3**: 39  
corrosion by cadmium (liquid), **2**: 55-6  
corrosion by cadmium-magnesium alloys (liquid), **2**: 55-6  
corrosion by cadmium-magnesium-zinc alloys (liquid), **2**: 55-6  
corrosion by chlorine, **3**: 27  
corrosion by citric acid, **4**: 25  
corrosion by Darex-process solutions, **4**: 24  
corrosion in Demonstrational High-Temperature Solids Storage System, **3**: 43  
corrosion by ferric nitrate-nitric acid systems, **2**: 49  
corrosion by hydrofluoric acid-nitric acid systems, **1**: 39; **2**: 50, 52; **3**: 40  
corrosion by lead-lead chloride systems (fused), **1**: 40  
corrosion by Niflex-process solutions, **2**: 50, 52  
corrosion by nitric acid, **1**: 38; **2**: 50, 52; **4**: 25  
corrosion by nitric acid (electrolytic), **1**: 39; **3**: 41-2; **4**: 23-4  
corrosion by nitric acid-periodic acid systems, **4**: 25  
corrosion by nitric acid-sodium fluoride systems, **4**: 25  
corrosion by oxalic acid, **4**: 25  
corrosion by phosphoric acid, **4**: 25  
corrosion by potassium chloride-sodium chloride systems (fused), **1**: 40  
corrosion by Purex wastes from Darex feeds, **2**: 52-3  
corrosion by Redox-process waste solutions, **2**: 52  
corrosion by sodium hydroxide-tartaric acid systems, **4**: 25  
corrosion by STR-process waste solutions, **2**: 52  
corrosion by Sulfex-process solutions, **4**: 24  
corrosion by sulfuric acid, **2**: 52  
corrosion by Thorex-process solutions, **4**: 24  
corrosion by Turco 4501 solvent, **4**: 25  
corrosion by Turco 4502 solvent, **4**: 25  
corrosion by uranium-cadmium alloys (liquid), **2**: 55-6  
corrosion by uranium-cadmium-magnesium alloys (liquid), **1**: 41  
corrosion by uranium dioxide core dissolvents, **4**: 24  
corrosion by Zircex-process fluids, **2**: 54  
corrosion by Zirflex-process solutions, **4**: 24  
dissolution, **4**: 7-8  
electrolytic dissolution in nitric acid, **1**: 13; **2**: 12; **4**: 10  
solubility in aluminum nitrate-nitric acid-sodium nitrate systems, **2**: 17  
solubility in hydrochloric acid-nitric acid systems, **1**: 10-12  
solubility in sulfuric acid, **1**: 10-12; **2**: 17; **3**: 9-10
- Steel, corrosion by bismuth-chloride systems (fused), **4**: 47  
corrosion by bismuth-lead alloys (liquid), **3**: 39  
corrosion by cadmium (liquid), **2**: 55-6  
corrosion by cadmium-magnesium alloys (liquid), **2**: 55-6  
corrosion by cadmium-magnesium-zinc alloys (liquid), **2**: 55-6; **3**: 37  
corrosion by Redox-process waste solutions, **2**: 52  
corrosion by STR-process waste solutions, **2**: 52  
corrosion by uranium-cadmium alloys (liquid), **2**: 55-6  
corrosion by uranium-cadmium-magnesium alloys (liquid), **1**: 41
- Storage, irradiated fuel elements, **3**: 8
- STR process, **3**: 14  
corrosion problems, **3**: 42  
corrosive effects of waste solutions, **2**: 52
- Strontium, adsorption on Decalso YG, **2**: 72  
adsorption on Dowex 50 resin, **3**: 55  
adsorption on Dowex 50 X-12 resin, **2**: 72  
adsorption on Duolite CS-100 resin, **3**: 49  
adsorption on Duolite S-30 resin, **3**: 49  
adsorption on Linde 4A Molecular Sieve, **2**: 72  
coprecipitation with cadmium, **2**: 45  
coprecipitation with cadmium-cerium alloys, **3**: 36  
removal with clinoptilolite clay, **4**: 59  
removal with D2EHPA, **2**: 25  
removal by liquid-metal extraction, **3**: 39  
removal by melt-refining process, **1**: 31; **2**: 42  
removal by salt-cycle process, **4**: 50  
separation from wastes, **2**: 71; **3**: 54-5; **4**: 64-5  
solubility in magnesium-silver alloys (liquid), **1**: 37

- Strontium-90, commercial production, 1: 3  
 effects of recovery on waste-disposal problems, 4: 57  
 production in Multicurie Fission-Product Pilot Plant, 1: 3
- Sulfex process, 1: 10-12; 2: 11-12; 3: 9-10, 11  
 corrosion problems, 2: 49, 50-1; 4: 21-2, 24  
 explosion hazards, 3: 6-7  
 flow sheets, 2: 12  
 waste-stream solidification, 1: 46
- Sulfex-Thorex process, 2: 15-17  
 corrosion problems, 1: 37-9  
 flow sheets, 2: 16
- Sulfur tetrafluoride, fluoride-volatility processes, uses in, 1: 29-30  
 fluorination of uranium trioxide, 4: 72  
 fluorination of uranyl fluoride, 4: 72  
 reactions with plutonium hexafluoride, 3: 28-9
- Sulfuric acid, corrosive effects, 1: 37-8; 2: 52; 3: 41; 4: 22-5  
 solvent properties, 1: 10-12; 2: 17, 19; 3: 9-10; 4: 7-8
- Sulfuric acid-hydrochloric acid-nitric acid systems  
*See* Hydrochloric acid-nitric acid-sulfuric acid systems
- Symposia  
*See* Conferences

## T

- Tanks, decontamination, 2: 30-2
- Tantalum, corrosion by bismuth-chloride systems (liquid), 4: 47  
 corrosion by cadmium (liquid), 2: 55-6  
 corrosion by citric acid, 4: 25  
 corrosion by hydrofluoric acid-nitric acid systems, 2: 52  
 corrosion by magnesium-zinc alloys (liquid), 2: 55-6; 4: 48  
 corrosion by nitric acid, 4: 25  
 corrosion by nitric acid (electrolytic), 1: 39; 2: 49; 3: 41-2  
 corrosion by nitric acid-periodic acid systems, 4: 25  
 corrosion by oxalic acid, 4: 25  
 corrosion by phosphoric acid, 4: 25  
 corrosion by plutonium (liquid), 2: 56  
 corrosion by potassium chloride-sodium chloride systems (fused), 1: 40; 2: 54  
 corrosion by sodium hydroxide-tartaric acid systems, 4: 25  
 corrosion by Turco 4501 solvent, 4: 25  
 corrosion by Turco 4502 solvent, 4: 25  
 corrosion by uranium (liquid), 3: 44  
 corrosion by zinc (liquid), 2: 55-6  
 solubility in mercury, 4: 39
- Tantalum alloys, corrosion by plutonium (liquid), 2: 56  
 corrosion by potassium chloride-sodium chloride systems (fused), 2: 54
- Tantalum-tungsten alloys, corrosion by nitric acid (electrolytic), 1: 39; 3: 41-2  
 corrosion by plutonium (liquid), 1: 41
- Tartaric acid-sodium hydroxide systems  
*See* Sodium hydroxide-tartaric acid systems
- TBP process, 4: 8
- Technetium, adsorption on Dowex 1 X-4 resin, 2: 72  
 behavior in melt-refining process, 2: 42  
 separation from waste streams, 2: 72  
 separation from wastes, 3: 54
- Technetium-99, price schedule, 3: 54  
 production in Multicurie Fission-Product Pilot Plant, 1: 3
- Tellurium, removal by fluoride-volatility processes, 4: 35-6  
 removal by liquid-metal extraction, 3: 39  
 removal by melt-refining process, 1: 31; 2: 42; 3: 32  
 removal by salt-cycle process, 2: 43  
 removal by skull reclamation process, 3: 36  
 solubility in magnesium-silver alloys (liquid), 1: 37
- Terbium, solubility in cadmium (liquid), 3: 34-5
- Tetramer solvent, radiolysis, 3: 19
- Thallium, solvent properties, 2: 47
- Thermal-diffusion processes (solid state), 4: 46
- Thorex process, 2: 19; 4: 12  
*See also* Darex-Thorex process; Sulfex-Thorex process  
 commercial plants, 3: 2  
 corrosion problems, 4: 24
- Thorium, adsorption on Dowex 1 resin, 4: 17  
 adsorption on Dowex 21K resin, 4: 17  
 adsorption on Dowex 50W resin, 4: 17  
 coprecipitation with cadmium-cerium alloys, 3: 36  
 electrorefining, 3: 37-8; 4: 46  
 ion exchange, 3: 23  
 liquid-metal extraction, 4: 46-7  
 metal production, 2: 77-8; 3: 63-4; 4: 77  
 properties, 4: 49  
 recovery in a Jiggler column, 1: 26  
 solubility in lead chloride (fused), 4: 11  
 solubility in magnesium (liquid), 2: 47  
 solubility in magnesium-silver alloys (liquid), 2: 47  
 solubility in zinc (liquid), 1: 35  
 vapor pressure, 2: 48
- Thorium-aluminum alloys, preparation from thorium oxide reduction in aluminum melt, 4: 77  
 solubility in zinc (liquid), 2: 47
- Thorium carbide, solubility in fused chlorides, 3: 33  
 solubility in zinc (liquid), 3: 33
- Thorium chloride, production, 3: 63-4  
 reduction to metal, 3: 63-4
- Thorium fluoride, electrolysis, 2: 77-8  
 precipitation with hydrofluoric acid-potassium fluoride systems, 4: 19



- Thorium fluoride (Continued)  
 reduction to thorium, 4: 77
- Thorium-magnesium systems  
*See* Magnesium-thorium systems
- Thorium-magnesium systems (liquid), protactinium distribution coefficients, 4: 40, 41
- Thorium oxide, recovery by melt-refining process, 1: 33  
 solubility in fused chlorides, 3: 33  
 solubility in nitric acid, 4: 11  
 thermodynamic properties, 4: 53
- Thorium oxide-uranium dioxide systems  
*See* Uranium dioxide-thorium oxide systems
- Thorium sulfate, adsorption on Permutit SK resin, 1: 26
- Thorium-uranium-aluminum alloys  
*See* Uranium-thorium-aluminum alloys
- Thulium, solubility in cadmium (liquid), 3: 34-5
- TIOA  
*See* Octylamine, triiso-
- Titanium, corrosion by citric acid, 4: 25  
 corrosion by Darex-Thorex process solutions, 3: 41  
 corrosion by ferric nitrate-nitric acid systems, 2: 18  
 corrosion by hydrochloric acid-nitric acid systems, 1: 37-8  
 corrosion by magnesium-zinc alloys (liquid), 2: 46  
 corrosion by nitric acid, 4: 25  
 corrosion by nitric acid (electrolytic), 1: 39  
 corrosion by nitric acid-periodic acid systems, 4: 25  
 corrosion by nitric acid-sodium fluoride systems, 4: 25  
 corrosion by oxalic acid, 4: 25  
 corrosion by phosphoric acid, 4: 25  
 corrosion by sodium hydroxide-tartaric acid systems, 4: 25  
 corrosion by Turco 4501 solvent, 4: 25  
 corrosion by Turco 4502 solvent, 4: 25  
 corrosion by zinc (liquid), 2: 46, 55-6  
 solubility in cadmium (liquid), 4: 39  
 solubility in zinc (liquid), 1: 35
- Titanium-45A alloy, corrosion by Darex-process solutions, 4: 24  
 corrosion by ferric nitrate-nitric acid systems, 2: 49  
 corrosion by nitric acid, 3: 42  
 corrosion by Sulfex-process solutions, 4: 24  
 corrosion by Thorex-process solutions, 4: 24  
 corrosion by uranium dioxide core dissolvents, 4: 24  
 corrosion by Zirflex-process solutions, 4: 24
- Titanium-cadmium alloys  
*See* Cadmium-titanium alloys
- TLA  
*See* Amine, triauryl-
- Transformers, radiation effects, 1: 41-2
- Transportation  
*See* Shipping
- Tributyl phosphate, chemical stability, 4: 13-16  
 radiolysis, 2: 26-7; 4: 13-16  
 solvent properties, 2: 23; 4: 12-13
- Tributyl phosphate-nitric acid-uranyl nitrate systems  
*See* Uranyl nitrate-nitric acid-tributyl phosphate systems
- TRIGA reactor  
*See* Reactor (TRIGA)
- Triisooctylamine, actinide-lanthanide separation, 3: 19  
 solvent properties, 2: 23-4
- Trilaurylamine  
*See* Amine, triauryl-
- Tungsten, corrosion by magnesium-zinc alloys (liquid), 4: 48  
 corrosion by zinc (liquid), 2: 55-6
- Tungsten alloys, corrosion by magnesium-zinc alloys (liquid), 2: 55-6
- Tungsten fluorides, nuclear magnetic resonance spectra, 3: 30  
 physical constants, 3: 29  
 reactions with nitrogen dioxide, 4: 36  
 reactions with nitrogen oxyhalides, 4: 36
- Tungsten-niobium alloys  
*See* Niobium-tungsten alloys
- Tungsten oxyfluoride, physical constants, 3: 29
- Tungsten-tantalum alloys  
*See* Tantalum-tungsten alloys
- Turco 4501 solvent, corrosive effects, 4: 25
- Turco 4502 solvent, corrosive effects, 4: 25
- TURRET Reactor  
*See* Reactor (TURRET)

## U

- Ultrasonics, applications in fuel processing, 4: 49  
 waste-disposal applications, 4: 60-1
- 1-Undecene, chemical stability, 4: 13-15  
 radiolysis, 4: 13-15
- UNH  
*See* Uranyl nitrate hexahydrate
- United Kingdom, ion-exchange processes, 3: 24  
 uranium production plants, 1: 55  
 waste disposal, 1: 51
- United Nuclear Corporation, services offered, 3: 1
- Unitemp 600 alloy, corrosion by potassium chloride-sodium chloride systems (fused), 3: 42
- Uranium, adsorption on Dowex 1 resin, 4: 16-17  
 adsorption on Dowex 21K resin, 4: 16-17  
 adsorption on Dowex 50W resin, 4: 17  
 bomb reduction from uranium tetrafluoride, 4: 73-5  
 coprecipitation with cadmium, 2: 45  
 coprecipitation with cadmium-cerium alloys, 3: 36

## Uranium (Continued)

- coprecipitation with zinc, 2: 45
- electrochemical behavior in lithium chloride-potassium chloride systems (fused), 1: 37
- electrochemical behavior in magnesium chloride-potassium chloride-sodium chloride systems (fused), 1: 37
- electrolytic reduction from uranium dioxide, 4: 73
- extraction with aluminum (liquid), 2: 46
- extraction from ore with D2EHPA, 2: 24-5
- fused-salt extraction, 4: 40-1
- ion exchange, 3: 23-4
- leaching from lead chloride by nitric acid, 1: 13
- liquid-metal extraction, 4: 40, 41, 46-7
- metal production methods, 1: 58-9; 2: 77; 3: 62-3; 4: 73, 75-6
- metal production from uranium hexafluoride, 3: 62-3
- prices of concentrates, 2: 3
- procurement costs in FY 1961, 1: 2-3
- production plants, 1: 55-9
- properties, 4: 49
- recovery with amines, 2: 24
- recovery by chloride-volatility processes, 4: 32-5
- recovery with diamylamyl phosphate, 2: 25-6
- recovery by fluorine-volatility processes, 1: 27-30; 2: 35-8
- recovery by ion exchange, 2: 33-4
- recovery from magnesium fluoride slag, 4: 76-7
- recovery by melt-refining process, 2: 41-4
- recovery by Nitrofluor process, 3: 26; 4: 29-30
- recovery in Power-Reactor Fuel-Processing Pilot Plant, 2: 32-3
- recovery by Purex process, 4: 12
- recovery by salt-cycle process, 3: 32; 4: 49-50
- recovery from scrap metal, 3: 63
- recovery from slurry feed, 2: 23
- reduction from uranium hexafluoride, 4: 75-6
- solubility in bromine trifluoride, 3: 26-7
- solubility in calcium (liquid), 2: 47
- solubility in magnesium, 2: 47
- solubility in magnesium-silver alloys (liquid), 2: 47
- solubility in magnesium-zinc alloys (liquid), 1: 36; 2: 46
- solubility in magnesium-zinc alloys (liquid), 3: 36
- solubility in triaurylamine, 2: 23-4
- solubility in zinc (liquid), 1: 35; 3: 35
- Uranium (enriched), production by gas centrifugation, 1: 2
- Uranium (liquid), corrosive effects, 3: 44
- Uranium (stainless-steel-clad), solubility in nitric acid (electrolytic), 3: 11
- Uranium-233, AEC buy-back price, 1: 1
- use and consumption charges, 4: 3
- Uranium-235, enrichment by gas centrifugation, 2: 2-3
- use and consumption charges, 4: 3
- Uranium-aluminum alloys, dissolution, 3: 20-2; 4: 8-9
- processing costs, 4: 2
- Uranium-cadmium alloys (liquid), corrosive effects, 2: 55-6
- thermodynamic properties, 4: 39-40
- uranium carbide precipitation from, 3: 37
- Uranium-cadmium-magnesium alloys (liquid), corrosive effects, 1: 41
- Uranium carbide, coating of particles with carbon, 4: 73
- conversion from uranium dioxide, 1: 35
- conversion to uranium dioxide, 1: 35
- oxidation, 4: 52
- precipitation from cerium-magnesium alloys (liquid), 3: 37
- precipitation from uranium-cadmium alloys (liquid), 3: 37
- production methods, 1: 58; 3: 61-2
- reactions with oxygen, 3: 34
- solubility in fused chlorides, 3: 33
- solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25; 4: 30
- solubility in zinc (liquid), 3: 33
- Uranium carbide-plutonium carbide systems, solubility in hydrofluoric acid-nitric acid systems, 4: 11
- Uranium chlorides, thermodynamic properties, 4: 53
- Uranium-chromium alloys, recovery by liquid-metal extraction, 1: 36
- solubility in magnesium-silver alloys (liquid), 3: 38-9
- Uranium-chromium systems (liquid), corrosive effects, 4: 48
- protactinium distribution coefficients, 4: 40
- Uranium dioxide, coating of particles with metals, 4: 70-1
- conversion from uranium carbide, 1: 35
- conversion to uranium carbide, 1: 35
- conversion from uranium hexafluoride, 4: 70
- conversion to uranium hexafluoride, 1: 30
- conversion to uranium tetrafluoride, 4: 71
- electrodeposition from uranyl chloride, 3: 61
- electrolytic reduction to uranium, 4: 73
- encapsulation of particles, 2: 76
- fluorination of pellets, 3: 28
- ion-exchange properties, 2: 35
- oxidation, 3: 34
- oxidation to  $U_3O_8$ , 4: 51
- production methods, 1: 55-7
- reactions with carbon, 4: 52
- reactions with graphite, 4: 52-3
- recovery by melt-refining process, 1: 33
- reduction by magnesium-zinc alloys (liquid), 3: 36
- reduction from uranium trioxide, 3: 59-60
- reduction from uranyl nitrate hexahydrate, 3: 60-1

## Uranium dioxide (Continued)

- solubility in fused-salt extraction processes, 1: 34
- solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25
- solubility in lead chloride (fused), 2: 14
- solubility in lead chloride (fused)-chlorine systems, 2: 14
- solubility in nitric acid, 4: 11
- solubility in potassium chloride-sodium chloride systems, 2: 42-3
- Uranium dioxide (stainless-steel-clad), shearing, 1: 9
- solubility in nitric acid (electrolytic), 3: 11; 4: 10
- uranium leaching with nitric acid, 1: 17
- Uranium dioxide (Zircaloy-clad), uranium leaching with nitric acid, 1: 17
- Zircaloy dissolution, 3: 33
- Uranium dioxide (Zircaloy-2-clad), solubility in nitric acid (electrolytic), 3: 10
- Uranium dioxide-aluminum oxide systems, solubility in nitric acid, 3: 13-14
- Uranium dioxide-beryllium oxide systems, solubility in hydrochloric acid-nitric acid systems, 3: 13
- solubility in nitric acid, 3: 13; 4: 11
- solubility in nitric acid-sulfuric acid systems, 2: 19
- solubility in sulfuric acid, 2: 19
- Uranium dioxide-beryllium oxide systems (Hastelloy-X-clad), solubility in nitric acid-sodium fluoride systems, 2: 19
- solubility in sodium hydroxide, 2: 19
- Uranium dioxide-plutonium dioxide systems, solubility in potassium chloride-sodium chloride systems (fused), 3: 32-3
- Uranium dioxide-thorium oxide systems, processing, 2: 22-3
- solubility in aluminum nitrate-nitric acid-sodium fluoride systems, 2: 19
- solubility in hydrogen fluoride-nitrogen dioxide systems, 4: 30
- solubility in nitric acid, 4: 11
- Uranium diuranate, conversion to uranium tetrafluoride, 4: 71
- Uranium-graphite systems, solubility in nitric acid, 1: 17; 2: 18-19; 3: 12-13
- Uranium hexafluoride, chemical properties, 3: 29; 4: 37
- conversion from uranium dioxide, 1: 30
- conversion to uranium dioxide, 4: 70
- conversion from uranium tetrafluoride, 2: 77
- conversion from uranium trioxide, 4: 72
- conversion from uranyl fluoride, 4: 72
- distillation flow sheets, 3: 59
- production methods, 1: 57-8
- production from ore concentrates, 3: 58-9
- properties, 2: 76-7
- purification with sodium fluoride, 4: 35
- reactions with nitrogen dioxide, 4: 36
- reactions with nitrogen oxyhalides, 4: 36
- reduction to uranium metal, 3: 62-3; 4: 75-6
- Uranium-manganese alloys (liquid), corrosive effects, 3: 44
- Uranium-mercury alloys, phase diagrams, 1: 36
- Uranium mills, health and safety studies, 1: 6-7
- Uranium-molybdenum alloys, oxyhydrochlorination, 4: 34-5
- solubility in ferric nitrate-nitric acid systems, 1: 15-16; 2: 18
- solubility in hydrochloric acid, 4: 11
- solubility in nitric acid, 1: 15
- solubility in nitric acid-phosphoric acid systems, 2: 18
- Uranium-molybdenum alloys (Zircaloy-clad), solubility in nitric acid (electrolytic), 2: 15
- Uranium peroxide, precipitation with hydrogen peroxide, 4: 18
- solubility in nitric acid, 4: 18
- Uranium-plutonium alloys, solubility in magnesium-zinc alloys (liquid), 3: 37
- Uranium tetrafluoride, bomb reduction to uranium, 4: 73-5
- conversion from ammonium diuranate, 4: 71
- conversion from uranium dioxide, 4: 71
- conversion to uranium hexafluoride, 2: 77
- conversion from uranium trioxide, 2: 75; 4: 71-2
- production methods, 1: 57
- recovery from scrap materials, 2: 76
- Uranium tetrafluoride-sodium fluoride-zirconium tetrafluoride systems (fused), solvent properties, 1: 29
- Uranium tetrafluoride-thorium fluoride-beryllium fluoride-lithium fluoride systems, phase equilibrium relations, 3: 39
- Uranium-thorium-aluminum alloys, extraction with lead (liquid) and thallium (liquid), 2: 47
- Uranium trioxide, conversion to uranium hexafluoride, 4: 72
- conversion to uranium tetrafluoride, 2: 75; 4: 71-2
- conversion from uranyl nitrate, 4: 69
- fluoride-volatility processes, uses in, 1: 29-30
- production methods, 2: 75
- properties, 4: 69-70
- reduction to uranium dioxide, 3: 59-60
- Uranium-Zircaloy alloys, processing by fluoride-volatility processes, 2: 37
- Uranium-Zircaloy-2 alloys, reactions with chlorine, 3: 27
- Uranium-zirconium alloys, dissolution, 1: 10; 4: 9-10
- electrolytic dissolution, 4: 10
- processing by Nitrofluor process, 4: 29-30
- reactions with hydrogen chloride, 3: 27-8
- solubility in aluminum (liquid), 2: 47
- solubility in ammonium fluoride-hydrogen peroxide systems, 1: 12-13

- Uranium-zirconium alloys (Continued)  
 solubility in hydrochloric acid, 4: 11  
 solubility in hydrofluoric acid-hydrogen peroxide systems, 3: 14  
 solubility in hydrofluoric acid-nitric acid systems, 1: 12-13; 2: 14-15  
 solubility in lead chloride (fused), 1: 13; 2: 13-14; 3: 10; 4: 11  
 uranium recovery by fluoride-volatility processes, 1: 27-9
- Uranium-zirconium hydride-aluminum-samarium systems, hydrochlorination, 3: 11
- Uranium-zirconium hydride systems, dissolution, 4: 9  
 preparation, 4: 72-3  
 solubility in ammonium fluoride-hydrogen peroxide systems, 3: 14
- Uranyl chloride, electrolysis, 3: 61
- Uranyl dibutyl phosphate, solubility, 4: 16
- Uranyl fluoride, conversion to uranium hexafluoride, 4: 72
- Uranyl monobutyl phosphate, solubility, 4: 16
- Uranyl nitrate, conversion to uranium trioxide, 4: 69
- Uranyl nitrate hexahydrate, reduction to uranium dioxide, 3: 60-1
- Uranyl nitrate-nitric acid-tributyl phosphate systems, explosion hazards, 3: 6
- Uranyl sulfate, adsorption on Dowex 21K resin, 1: 25; 3: 23
- U. S. Atomic Energy Commission, facilities for processing fuels from commercial power reactors, 2: 1-2
- Use charges, 4: 2-3
- USSR, chromium extraction in tributyl phosphate, 4: 12-13  
 thorium metal production methods, 2: 77-8

## V

- Vallecitos Boiling-Water Reactor  
*See* Reactor (Vallecitos Boiling-Water)
- Vanadium, coating of uranium dioxide particles, 4: 71  
 solubility in zinc (liquid), 4: 39
- VBWR  
*See* Reactor (Vallecitos Boiling-Water)
- Vermiculite, decontamination of ICPP wastes, 1: 47
- Vycor, corrosion by magnesium-zinc alloys (liquid), 2: 56  
 corrosion by zinc (liquid), 2: 56

## W

- Walker Trucking Company, waste-disposal license, 1: 4

- Waspalloy alloy, composition, 4: 32  
 corrosion by fluoride-volatility process fluids, 4: 31
- Waste disposal, 1: 46-54; 2: 62-74; 3: 48-57; 4: 57-68  
 commercial arrangements, 4: 4  
 commercial licenses, 1: 3-4  
 licenses, 1: 4; 2: 4
- Waste processing, ion-exchange methods, 4: 59
- Waste storage, 4: 57, 59
- Wells, waste disposal in deep, 4: 63
- Wire (insulated), radiation effects, 1: 42
- Wolfram  
*See* Tungsten

## X

- XE-204, solvent properties, 2: 24
- Xenon, recovery from wastes, 4: 63-4  
 removal by melt-refining process, 1: 31-2; 2: 42; 4: 38  
 removal by salt-cycle process, 2: 43  
 solubility in sodium fluoride-zirconium fluoride systems (fused), 1: 29

## Y

- Y-12 Plant, criticality incident of June 1958, lawsuit concerning, 1: 6
- Yankee Power Reactor  
*See* Reactor (Yankee Power)
- Ytterbium, solubility in cadmium (liquid), 3: 34-5
- Yttrium, behavior in melt-refining process, 2: 42  
 coprecipitation with cadmium, 2: 45  
 coprecipitation with cadmium-cerium alloys, 3: 36  
 corrosion by air, 3: 44  
 corrosion by uranium (liquid), 3: 44  
 precipitation with barium fluozirconate, 2: 20  
 removal by liquid-metal extraction, 3: 39  
 solubility in magnesium-silver alloys (liquid), 1: 37  
 solubility in zinc (liquid), 1: 35
- Yttrium fluoride, solubility in fluoride-volatility process fluids, 1: 29
- Yttrium-zinc alloys, phase diagrams, 1: 36  
 thermodynamic properties, 4: 40

## Z

- Zinc (liquid), corrosive effects, 2: 46, 55-6; 4: 47-8  
 solvent properties, 1: 35-6; 2: 46-7; 3: 33, 35; 4: 39  
 viscosity, 4: 40

- Zinc-bismuth systems  
     *See* Bismuth-zinc systems
- Zinc-cadmium-magnesium alloys  
     *See* Cadmium-magnesium-zinc alloys
- Zinc-cerium alloys  
     *See* Cerium-zinc alloys
- Zinc-lead systems  
     *See* Lead-zinc systems
- Zinc-magnesium alloys  
     *See* Magnesium-zinc alloys
- Zinc-magnesium-cadmium alloys  
     *See* Cadmium-magnesium-zinc alloys
- Zinc-plutonium alloys  
     *See* Plutonium-zinc alloys
- Zinc-yttrium alloys  
     *See* Yttrium-zinc alloys
- Zircaloy alloy, solubility in ammonium fluoride-ammonium nitrate systems, 2: 10-11; 3: 9  
     solubility in hydrofluoric acid-nitric acid systems, 3: 9  
     solubility in lead chloride (fused), 3: 33
- Zircaloy-uranium alloys  
     *See* Uranium-Zircaloy alloys
- Zircaloy-2 alloy, solubility in hydrogen chloride-hydrogen fluoride systems, 2: 36-7  
     solubility in nitric acid, 2: 15
- Zircaloy-2-uranium alloys  
     *See* Uranium-Zircaloy-2 alloys
- Zircex process, 3: 11, 27-8; 4: 11  
     corrosion problems, 1: 41, 2: 53, 54  
     flow sheets, 4: 32
- Zirconium, adsorption on Dowex 1 resin, 4: 17  
     adsorption on Dowex 21K resin, 4: 17  
     coprecipitation with cadmium, 2: 45  
     coprecipitation with cadmium-cerium alloys, 3: 36  
     corrosion by nitric acid (electrolytic), 1: 39  
     electrolytic dissolution in nitric acid, 1: 10  
     precipitation with barium fluozirconate, 2: 19-20  
     precipitation with formic acid, 2: 20  
     precipitation with paraformaldehyde, 2: 20  
     properties, 4: 49  
     reactions with hydrogen chloride, 4: 33  
     removal by chloride-volatility processes, 4: 33-4, 35  
     removal by liquid-metal extraction, 3: 39  
     removal by liquid metal-fused salt extraction, 4: 45  
     removal by melt-refining process, 1: 31; 2: 42; 3: 32  
     removal by scavenging, 1: 17-18  
     removal with silica gel, 1: 20  
     removal by skull reclamation process, 3: 36  
     solubility in ammonium fluoride-ammonium nitrate systems (fused), 2: 10-11; 3: 9  
     solubility in hydrofluoric acid-nitric acid systems, 3: 9  
     solubility in magnesium-silver alloys (liquid), 1: 37  
     solubility in mercury, 4: 39  
     solubility in zinc (liquid), 1: 35
- Zirconium fluoride, thermodynamic properties, 3: 30
- Zirconium fluoride-sodium fluoride systems  
     *See* Sodium fluoride-zirconium fluoride systems
- Zirconium fluoride-sodium fluoride-uranium tetrafluoride systems  
     *See* Uranium tetrafluoride-sodium fluoride-zirconium fluoride systems
- Zirconium hydride-uranium-aluminum-samarium systems  
     *See* Uranium-zirconium hydride-aluminum-samarium systems
- Zirconium hydride-uranium systems  
     *See* Uranium-zirconium hydride systems
- Zirconium molybdate, ion-exchange properties, 2: 35
- Zirconium oxide, corrosion by potassium chloride-sodium chloride systems (fused), 1: 40  
     ion-exchange properties, 2: 35  
     solubility in hydrogen fluoride-nitrogen dioxide systems, 3: 25  
     thermodynamic properties, 4: 53
- Zirconium phosphate, ion-exchange properties, 2: 35
- Zirconium tungstate, ion-exchange properties, 2: 35
- Zirconium-uranium alloys  
     *See* Uranium-zirconium alloys
- Zirflex process, 1: 9-10, 12-13; 2: 10-11; 3: 9, 14  
     corrosion problems, 2: 49; 3: 40; 4: 22-3  
     flow sheets, 1: 13; 2: 11  
     waste-stream solidification, 1: 46